AUTHOR INDEX

The references are to page numbers. The capital letters in parentheses have the following significance: (A) Abstract, (B) Book, (O) Original paper, (P) Patent.

A

Abrams, Duff A. Effect of coloring materials on strength of mortar (A), 1013.

Adams, L. H. Note on measurement of density of minerals (A), 496.

Adams, Sidney F. Microscopic study of vein quartz (A), 423.

Ahlander, Fr. E. Catalogue of Swedish geological, paleontological, petrographic, and mineralogical literature for 1907–1917 (A), 163.

Albert, Max. Rapid method for estimating MgO in Portland cements (A), 503.

Allen, D. E. *see* Hartmann, M. L.

Alling, Harold. The mineralography of feldspars (A), 1007.

Anderson, Albert H. Abrasive and refractory article and method of producing same (P), 241.

Anderson, E. Notes on dusting of cement clinker (A), 518.

Andrews, Peyton. Brickmaking app. (P), 867.

Andrews, W. O. Technical anal. of Portland cement (A), 785.

Arduser, George B. Evolution of mold industry (A), 515.

Armstrong, C. G. Porcelain enameling furnaces (A), 696.

Ashenhurst, Harold S. Heat resisting cement (P), 241.

Atterberg, G. Plaster of Paris as putty (A), 171.

Auine, Edward. British scientific glass industry (A), 782.

B

de Baat, Miss W. C. *see* Schreinemakers, F. A. H.

Bailey, Herbert. Repair of crystallized glass app. (A), 867.

Balley, K. M. New physical aid in ceramics (A), 688.

Banard, H Decoration of porcelain (A), 248.

Banksen, R. A. Glory holes and magnesite (A), 500.

Bansen, Hugo. Coal-dust firing in America (A), 688.

Barnard, J. E. Microscopy with ultraviolet light (A), 414.

Barringer, Lawrence E. Application of elec. heat to vitreous enamel (O), 461.

Barrows, Frank E. Investigations of chem. literature (A), 772.

Bartel, P. Can Swedish quartz be substituted by German sandstone? (A), 507.

Barten, Louis E. Glass and its manuf. (P), 252.

Baskerville, Charles. Opening up minerals with phosgene (A), 162.

Bates, Lindon W. Case for colloidal fuel (A), 417.

Bates, P. H. and Young, Roy N. Plastic magnesia cements (O), 570.

Baylor, H. D. Cements (P), 876.

Bechhold, H. Capillary phenomenon (A), 311.

Bechtel, John A. Method for making glass melting pots (P), 431.

Becker, H. G. New principle in blowpipe construction (A), 868.

Belton, F. J. W. An improved air heater (A), 419.

Bencke, Albert. Colloidal character of clays and their practical application (A), 858.

Benson, Bradley L. Tile-sorting machine (P), 427.

Bergman, Wilhelm Dan. Alumina from clay (P), 943.

Berlemont, G. Quartz glass and the mercury lamp (A), 946.

Berndt, G. *see* Weidert, F.

Berry, Charles W. Refractory brick (P), 775.

Berry, Miss H. M. *see* Pratt, Joseph Hyde.

Bertrand, Léon. Rapid method for relative porosity detn. of ceramic bodies (A), 68.

Bied, J. Central research laboratory for cement industry (A), 785.

——— Fused cements and elec. furnace (A), 317.

——— Urgent request for cement laboratory (A), 876.

——— **and Garnier, E.** Law for hardening of cements (A), 1011.

Bigot, A. Furnaces; cooling (P), 866.

——— Kaolins, clays, bauxites, etc.; changes in volume under action of heat (A), 1005.

——— Shrinkage on drying kaolins and clays (A), 856.

Bigot, F. Furnace atmospheres and some of their effects on lead glazes (A), 692.

Bing, C. Lime-silica (building) brick (A), 694.
Bisbing, Harry O. Machine for casting plate-glass (P), 252.
Blake, A. E. Heating-furnace fuel progress in 1920 (A), 500.
Bleininger, A. V. Porcelain (A), 781.
Block, Berthold. Das Kalk brennen in Schactofen mit Mischfeurung (B), 255.
—— Sepn. of slimes from liquids by centrifuging (A) 496; (A), 683.
Bloxsom, John and Myers, Elmer E. Glass-drawing app. (P), 870.
Blumenthal, George, Jr. Note on hardness of glazes (O), 896.
Bodin, V. Strength of refractories at different temps. (A), 69.
Bogue, R. H. Hydrolysis of silicates of sodium (A), 311.
Booth, W. H. Fuel economy (B), 315.
Booth, W. N. Possibilities of gaseous heating (A), 499.
Borchers, Wilhelm. Die elektrischen Oefen (B), 240.
Boudouard, O. Porcelain insulators (A), 246.
Bousquet, M. Concrete-cement brick (A), 874.
Boveroulle, R. Slag cements (P), 318.
Bowles, Oliver. Asbestos (A), 507.
Boynton, C. W. Vesticular materials and compns. (P), 495.
Bradley, E. G. *see* Thomas, H. H.
Braesco, Paul. Study of transition points by dilatometric method (A), 161.
Bratness, Olaf. Brick machines (P), 80.
Brick, F. Physical properties of building brick (A), 788.
—— Water proofing of kiln crowns (A), 688.
Briff, G. Enameled brick (A), 788.
Brooke, F. W. Refractories for bottom-connected elec. furnaces (A), 944.
—— **and Mills, George P.** Elec. vs. combustion furnaces for low temps. (A), 313.
Brooke, Homer. Automatic feeding devices for glass-making industry (A), 73.
Brown, F. W. Potash (A), 507.
Browning, Glenn *see* Everman, Irene.
Brownlee, W. K. and Gorton, A. F. Manuf. and treatment of glass melting pots (O), 97.
Brownlie, David. Coal saving in chem. industry (A), 166.
Brydone, R. M. The origin of flint (A), 163.
Buckley, J. L. Drying brick and tile (A), 518.
Buckman, Henry H. and Pritchard, George A. Highly refractory article and method of producing same (P), 865.
Buehler, H. A. Biennial report of state geologist of Missouri (A), 244.
Bühler, F. A. Filtern und Pressen, zum Trennen von Flüssigkeiten und festen Stoffen (B), 942.
Bunting, Elmer N. *see* Washburn, Edward W.
Burger, H. C. Observations of temp. during solidification (A), 1006.
——Process of solidification as problem of conduction of heat (A), 1006.
Burner, L. N. *see* Clark, W. G.

C

Cake, W. E. *see* Willard, H. H.
Caldwell, D. R. *see* Geller, R. F.
Campbell, Hudson S. Method of gripping and cutting sheet-glass (P), 430.
Candlat, C. E. Slaking lime in vertical container (P), 318.
Carpenter, J. W. Elec. heat raises enameling output (A), 946.
—— *see* Mehling, C. W.
Carus-Wilson, C. Flint problems (A), 245.
Ch. S. Burning stoneware (A), 692.
Charpentier, M. Cement tile (A), 876.
—— Diatomaceous earth (A), 1003.
Chatley, Herbert. Molecular force and plasticity of clays (A), 941.
Chatterji, N. G. and Dhar, N. R. Physics and chem. of colloids and their bearing on industrial questions. Some observations on peptization and precipitation (A), 504.
Clare, R. L. and Long, R. N. Value of ageing terra cotta body (O), 453.
Clark, T. H. Origin of graphite (A), 684.
Clark, W. G. and Burner, L. N. Glass (P), 869.
Clarke, J. R. Thermal conductivity of some solid insulators (A), 422.
Clibbens, D. A. Principles of the phase theory (A), 165
Cobenzl, A. Bauxite as a pigment (A), 162.
Coblentz, W. W. Transmission and refraction data on standard lens and prism material with special reference to infra-red spectro-radiometry (A), 428.
Coffignier, Ch. Silicate paints (A), 159.
Cole, L. H. *see* Keele, Joseph.
Collins, E. F. Elec. heated glass annealing leers (O), 335; (A), 946.
—— Relative thermal economy of elec. and fuel-fired furnaces (A), 166.
Colony, R. J. Chem. anal. of cement as indicators of behavior (A), 1011.
—— High-grade silica materials for glass, refractories and abrasives (A), 245.
Comber, N. M. The flocculation of soils (A), 1005.
Coolidge, A. S. Use of acetylene in glass blowing (A), 867.

Cordes, O. C. Comp. cost of steam and elec. power in brick ovens (A), 517.
Cornish, Sidney E. Drying-kiln (P), 856.
Crichton, Leslie N. Testing (porcelain) insulators in factory and field (A), 247.
Crites, D. O. *see* Milligan, L. H.
Crossley, P. B. Glass; artificial stone (P), 516.
Crowley, Joseph P. Method of and app. for cutting sheet-glass (P), 870.
Cruikshank, T. W. Progress made in plate glass manuf. (A), 515.

D

D. S. Economic quarry exploitation (A), 874.
Danielson, E. R. and Reinecker, H. P. Product of some white enamels for copper (O), 827.
—— **and Souder, W. H.** Causes and control of fish-scaling of enamels for sheet iron and steel (O), 620
Dargery, E. Lime and cement industries in Algeria and Morocco (A), 1011.
Dautrebande, J. Sudden disintegration of clinkers on cooling in air (A), 874.
Dautwitz, W. A new micro combustion furnace for detn. of carbon, hydrogen and nitrogen (A), 414.
Davis, A. H. Convection of heat and similitude; heat-loss results from model experiments (A), 685.
Davis, Ernest J. British pyrometry practice (A), 1006.
Davis, H. E. *see* Ortmann, F. B.
Debaecker, George Henri Leon. App. for turning over sheets of glass (P), 784.
DeBats, Jean Hubert Louis. Method of making clay and graphite crucibles (P), 857; (P), 866.
Delaunay, Jules Edouard *see* Dimitri, G. L.
Denis, Louis. Refractory material (P), 241.
Denk, Franz J. Design and operation of glass house furnaces (O), 224.
—— Surface combustion furnaces (P), 241.
Dhar, N. R. *see* Chatterji, N. G.
Diller, J. B. Talc and soapstone in 1919 (A), 685.
—— Chromite in 1919 (A), 686.
——, **Fairchild, J. G. and Larsen, E. S.** High grade talc for gas burners (A), 245; (A), 419.
Dimitri, Georges Louis and Delaunay, Jules Edouard. Manuf. of refractory and insulating products (P), 865.
Dixon, H. L. Ancient and modern methods of glass manuf. (O), 85.
Dochnal, Frank. Manuf. of hollow tile and the like (P), 427.
Dolbear, Samuel H. Chromite (A), 501.
—— Magnesite (A), 165.
Dolle, F. Development of vertical (gas) furnace (A), 499.
Dolt, M. L. Chemical French (B), 310.
Donath, M. *see* Pfaff, U.
Donnan, F. G. and Committee. Colloid chem. and general and industrial applications. (A), 779.
Dougherty, George T. Detn. of ferrous and ferric oxide in acid and open hearth slag (A), 502.
Dougill, G. Heating of retort settings (A), 240.
Drake, N. F. Clay. Rept. of Colorado Coal Fields of Texas (A), 507.
Dressler, Conrad. Relation of artist to the manuf. (O), 442.
Dressler, Philip d'Huc. Method and means for supporting tiles (P), 427.
—— Tunnel-kiln (P), 420
—— Tunnel-kiln and method for operating same (P), 420.
Drouot, H. Industrial use of pulverized fuels (A), 416.
Drown, Alfred Ernst. Glazing system (P), 870.
Duchez, M. J. Modern plaster plant (A), 874.
Duguid, Sydney N. Fuel saving by furnace efficiency (A). 500.
Dunstan, B. Mica in Australia (A), 506
Dupraz, A. Lime industry in Egypt (A). 1012.
Dupuy, Arthur O. Brick-making machine (P), 249.
Durieux, Joseph. Double ring for glass factories (P), 516.
Durrant, Reginald G. Mechanics of solidity (A), 422.
Dushman, S. Methods for production and measurement of high vacua (A), 310.

E

Egnér, Hans. Viscosity and flocculation of coarse suspensions (A), 858
Eichlin, C. G. *see* Tool, A. Q.
Emley, Warren E. Plastic gypsum plaster (A), 698; (A), 872.
—— Report of Committee C-11 on gypsum (A), 871.
—— **and Faxon, C. F.** Colored wall plaster (A), 431.
—— **and Faxon, C. F.** Normal consistency of sanded gypsum plaster (O), 152.
—— **and Faxon, C. F.** Specifications for color of gypsum plasters (A), 785; (A), 947.
—— **and Welch, F. C.** Relation between fineness and other properties of calcined gypsum (O), 301.

Endell, K. Behavior of refractory brick under load at high temps. (A), 417.
—— Comparative study of American and German quartzites as raw materials for silica brick industry (O), 953.
—— A study of the sintering process (A), 778.
Engenauer, J. Coking plant of Rhenish steel works in Duisburg-Meiderich and use of silica brick for coke ovens (A), 864.
—— Silica brick for coke ovens (A), 689.
Epps, Miss T. D. *see* Wilson, Wm. H.
Erz. *see* Kohle.
Essich, O. Addition of carbonic acid gas to generator process (A), 314.
Evens, Edmund, M. Pumping by compressed air (B), 311.
Everman, Irene, Mason, O'Neal and Browning, Glenn. Compn. of dolomites (A), 943.

F

F. I. Sintering of dolomite (A), 862.
Fabre, Leonce. Technic of filtering drum (A), 496.
Fairchild, C. O. New method of joining glass (A), 511.
—— *see* Foote, Paul D.
Fairchild, J. G. *see* Diller, J. S.
Faxon, C. G. *see* Emley, Warren E.
Feder, T. M. Surface leakage as a factor in porcelain insulator design (A), 247.
Feldenheimer, W. *see* Schidrowitz, P.
Ferguson, Alexander. App. to be employed in manuf. of hollow articles of glass (P), 783.
—— Method and app. for manuf. of glass (P), 783.
Ferguson, Robert F. *see* Howe, Raymond M.
Ferrari, Fabio. Anal. of Portland cement (A), 1009.
—— Ferroportland pozzuolana mixt. (A), 947.
—— Manuf. of slow-setting cement (P), 787.
—— Theory of setting and hardening of Portland cement (A), 1012.
Fidler, Francis. Kiln (P), 241.
Firth, Miss E. M., Hodkin, F. W. and Turner, W. E. S. Shrinkage, porosity and other properties of china clay after being fired at various temps. (A), 68.
Firth, James Brierley. Permeability of glass to iodine and bromine vapors (A), 252.
Fischer, Dr. Air cracks in refractories (A), 686.
Fischer, Ferd. Taschenbuch für Feuererungstechniker (B), 315.
Fitz-Gerald, Gerald. Application of heat in ceramics (O), 822.
Fleming, A. *see* Jones, F. P.
Flusin, G. Silica glass (A), 868.
Fontaine, Robert A. Brick-mold (P), 249
Foote, Paul D., Fairchild, C. O. and Harrison, T. R. Pyrometric practice (A), 414.
Footitt, Frank F. *see* Washburn, Edward W.
Forestier, V. *see* Tedesco, N. de.
Forsythe, W. E. Comparison of monochromatic screens for optical pyrometry (A), 857.
—— Disappearing-filament type of optical pyrometer (A), 160.
Francke, Ernest A. *see* Johanson, Pehr.
Friedman, E. L. Light filters (P), 946.
Friedrich, K. Coating compns.; bitumen (P), 520.
Fries, Amos A. Chem. warfare (B), 1013.
Fritsch, J. Fabrication du ciment (B), 318.
Frohman, Ed. D. Refractory material (P), 775.
Fry, W. H. *see* Moore, Charles J.
Frydlender, J. H. Industrial prepn. and filtration of colloidal solns. and masses (A), 940.
Fuller, D. H. Study of some bond clay mixtures (O), 902.
Fuller, T. S. Penetration of iron by hydrogen (A), 871.
Funk, W. Sharp fire colors for porcelain (A), 247.

G

G. B. Porous brick and ceramic products (A), 682.
Galvin, J. W. and Ring, C. N. Heat modifies acid furnace reaction (A), 499.
Gardner, Henry A. Recent developments in spray painting (A), 414.
Garland, Claude M. Scleroscope for testing hardness or strain in glass due to insufficient annealing (P), 783.
Garnier, E. *see* Bied, J.
Garve, T. W. Layout of brick or tile with car tunnel-kiln (O), 277.
Gates, R. Works standardization of pyrometers (A), 683
de Geer, G. Correlation of late glacial annual clay bands in North America with Swedish time scale (A), 1007.
Geiger, Charles F. Correction, 67.
Geller, R. F. Note on effect of time on drying shrinkage of clays (O), 282.
—— Possibilities of terra cotta casting (O), 883.
—— Transverse strength of fire-clay at furnace temp. (O), 608.
—— Water smoking of clays (O), 375.
—— **and Caldwell, D. R.** Absorption of sodium hydroxide by kaolins (O), 468.
—— **and Woods, B. J.** Use of special oxides in porcelain bodies (O), 842.
Germann, Albert F. O. Devitrification of glass, etc. (A), 250.

Geyer, H. Development of refractory industry in general and especially during the war (A), 240.
Gibson, Walcot. Coal in Great Britain (B), 315.
Ginsberg, Ismar. Practical points of erection and care of chem. stoneware app. (A), 781.
Giumet, J. B. and Guillochin, A. Ultramarine (P), 508.
Golightly, William J. Glass-casting table (P), 430.
Goodner, Ernest F. A mercury volumeter (O), 288.
Goodwin, Norris. Diatomaceous earth (A), 494.
Gorton, A. F. *see* Brownlee, W. K.
Goudriaan, F. Aluminates of sodium, etc., Equilibria in system Na_2O-Al_2O_3-H_2O (A), 311.
Gowen-Lecesne, A. V. Calcining furnaces (P), 866.
Gr., J. Testing chem. porcelain in England (A), 77.
Grant, W. H. Refractories for oil-fired furnaces and boilers (O), 390.
Grantham, G. E. Effect of temp. upon infrared absorption of certain glasses (A), 512.
Greaves-Walker, A. F. Elec. furnace refractories (A), 70.
Green, Henry. Further development of plastometer and practical application to research and routine problems (A), 779.
Green, Lee B. Hollow building-tile (P), 249
Greenburg, L. *see* Winslow, C. E. A.
Griffin, H. K. *see* Ingberg, S. H.
Griffin, R. C. Solubility of metals in acids containing formaldehyde (A), 312.
—— Technical methods of analysis (B), 789.
Griffith, A. A. Phenomena of rupture and flow of solids (A), 513.
Gross, N. Investigation of crystal structure by the Debye-Scheerer method (P), 317.
Gruber, F. Clearing of service pipes with highly compressed air or carbon dioxide (A), 689.
Guillochin, A. *see* Giumet, J. B.
Gumz, J. H. Gas in enameling industry (A), 254.
Günther-Schulze, A. Conduct of electrolytic ions in solid bodies. II. Dissociation relations in permutite (A), 244.
Guntz, A. A. Phosphorescent sulphides and their applications (A), 516.
Guttmann, A. Effect of mineral oils on cement (A), 697.
—— Influence of additions of calcium sulphate or chloride on shrinkage of cement (A), 948.
Guye, C. E. and Morein, A. Internal friction of quartz filaments at high temps. (A), 243.

H

H. Kl. Plaster molds for roofing tile (A), 693.
Hacker, W. Handbuch der Kitte und Klebemittel (B), 309.
Hadding, A. App. for grinding rock specimens (A), 310.
Haenicke, A. Molding gypsum cement, etc. (A), 255.
Hager, Hermann *see* Metz, Carl.
Haigh, B. P. Prism hardness: new test for hardness (A), 857.
Hallim, A. F. *see* Thomas, H. H.
Hallimond, A. F. *see* Thomas, H. H.
Hamilton, S. H. Meeting emergencies at chromite plant during war (A), 685.
Hanisch, August. Zehn Jahre Portlandzement Prüfung (B), 948.
Hanley, Henry B. and Simonds, H. R. Judging sands for foundry use (A), 862; (A), 943.
Harrison, Simon Henry. Kiln and firebrick therefor (P), 865.
Harrison, T. R. *see* Foote, Paul D.
Harrop, C. B. Continuous tunnel kilns at plant of Mt. Clemens Pottery Co. (O), 673.
Hart, Edward. Text book of chem. engineering (B), 318.
Hartmann, M. L. and Hougen, O. A. Physical characteristics of specialized refractories (A), 239.
——, **Sullivan, A. P. and Allen, D. E.** Physical characteristics of refractories (A), 165.
Harvey, E. W. Glass furnaces (P), 868.
Harvey, F. A. and McGee, E. N. Testing coke oven refractories (O), 474.
Haughton, J. L. Measurement of elec. conductivity in metals and alloys at high temp. (A), 1005.
Hawkes, Wm. H. Factory chem. (B), 1008.
Hazel, Chas. R. Glass-stirring machine (P), 252.
Heath, A. and Leese, A. Effect of calcination of flints on earthenware bodies (P), 691.
Hecht, Hans. Laboratory melting furnaces with elec heating (A), 416.
Hecht, Karl. Abrasives and grinding wheels bonded with ceramic materials (A), 508.
Heckel, G. B. Asbestos in paint industry (A), 159.
Heine, M. Prize awards of Ger. Cer. Society (A), 239.
Hepburn, W. M. High temp. testing furnace (O), 755.
Herington, C. F. Powdered coal as fuel (B), 315.

Herlenius, Jonas. Swedish elec. pig iron furnace (A), 497.
Hermann, Hugo. Elemente der Feuerskunde (A), 167.
Hertwig-Möhrenbach, Th. Translucency and resistance of porcelain to firing (A), 425.
—— Cone 7–9 porcelains (A), 78.
Hill, E. C. Effect of glass compn. on crazing of terra cotta (O), 25.
Hill, James M. Bauxite and aluminum in 1919 (A), 163.
—— Bauxite and aluminum (A), 501.
Hill, Wm. Jeffrey. Refractory furnace (P), 241.
Hilt, L. G. Transporting fuller's earth, etc. (P), 1003.
Hitner, Harry F. Device for severing glass (P), 75; (P), 871.
Hodkin, F. W. *see* Firth, Miss E. M.
Hodson, Frank. Heat losses through electrodes in elec. furnaces (A), 313.
Hoen, E. Drying theory: Most economical temps.; graphic detn. of moist air (A), 942.
Hoffman, F. and Schulze, A. Thermo-element of non-precious metals for high temp. measurement (A), 1004.
Holmes, Harry N. Colloid development (A), 506.
Hoskins, Wm. Keene's cement (P), 876.
—— Manuf. of Keene's cement (P), 787.
Hostetter, J. C. and Roberts, H. S. Note on dissociation of ferric oxide dissolved in glass and its relation to color of iron-bearing glasses (O), 927.
Hougen, O. A. *see* Hartmann, M. L.
Howard, George E. Automatic bottle manuf. (A), 515.
Howard, Michael J. Method of ornamenting sheet-glass (P), 869.
Howarth, Gilbert B. Graphical method for interpretation of flue gas anal. (A), 504.
Howe, H. E. New stone age (B), 520.
Howe, Raymond M. Refractories for elec. furnace (A), 418.
—— **and Ferguson, Robert F.** Study of spalling (O), 32.
—— **and Phelps, Stewart M.** Use of plastic clay in preventing spalling (O), 119.
—— **and Sheppard, Mark.** Tests of fire-brick made from ganister, flint clay, and plastic clay mixts. with special reference to spalling (O), 206.
Hudson, Charles J. Study of operation of Dressler tunnel-kiln (O), 738.
Hugo, Hermann. Elemente der Feuerungskunde (B), 167.
Hulett, G. A. Purifying clay, sand or similar materials (P), 696.
Hutchins, Otis. Refractory materials and process for making it (P), 242.

I

Imsley, H. Mica in 1919 (A), 684.
Ingberg, S. H., Griffin, H. K., Robinson, W. C. and Wilson, R. E. Fire tests on building columns (A), 785.
Innes, J. Measurement of high degrees of hardness (A), 1006.

J

Jackson, Daniel D. and Morgan, Jerome R. Application of the vapor pressure of potassium compds. to the study of recovery of potash by volatilization (A), 519.
—— Measurement of vapor pressures of certain potassium compds. (A), 246.
Jackson, Sir Herbert. Glass and some of its problems (A), 316.
Jacobson, M. and de Kèravenant, J. G. Action of chem. on concrete (A), 519.
Jakob, Johann. Constitution of silicates (A), 160.
Jenkinson, S. N. British chem. glass industry (A), 511.
Johanson, Pehr and Franke, Ernest A. Shaping device for articles made of ceramic bonded materials (P), 856.
Johnson-Laird, W. B. Soldering enamel, etc. (P), 517.
Jones, B. D. *see* Kelley, A. A.
Jones, F. P. and Fleming, A. Abrasive compns. (P), 508.
Jones, Jesse L. Core baking in elec. heated ovens (A), 165; (A), 419.
Jones, L. A. Colorimeter operating on subtractive principles (A), 509.
Jüptner, H. v. Beiträge zur Feuerungstechnik (B), 167.
Justice, Ithamar M. Drier for clay or ceramic products (P), 238.

K

Karrer, J. Drying by elec. superheated steam (A), 494.
Kebler, Leonard. Enameling resistance units. (P), 255.
Keele, Joseph. Possibilities of ceramic industries in Nova Scotia (A), 682.
—— Report of ceramic division (A), 780.
—— **and Cole, L. H.** Structural materials in Dundas, Stormont and Glengary counties, Eastern Ontario (A), 780.
Keeney, Robert M. Present status of elec. furnace in American metal industries (A), 313.

Kent, M. Glass working and glass manuf. (P), 696.
Kelley, A. A. and Jones, B. D. Glass manuf.; enamels; glazes (P), 869; (A), 1009.
de Kèravenant, J. G. *see* Jacobson, M.
Killig, F. Thermal phenomena in setting of Portland cement (A), 170.
King, George. Ultramicroscopy: Degree of dispersion-measurement with ultramicroscope (A), 780.
Kl., H. Plaster molds for roofing tile (A), 693.
Klein, A. A. and Ramsdell, L. S. Variation in heat treatment of a silica brick in crown of tunnel-kiln (O), 805.
Klein, Charles H. Brick-drier (P), 426.
Knight, Albert Breakenridge. Machine for burning or glazing the edges and sides of glassware (P), 253.
—— Machine for grinding glassware (P), 253.
Knollman, H. J. Refractories under load conditions (O), 759.
Kobayashi Kiuhei. Acidity of Japanese acid clay (A), 503.
Kohle and Erz. Aluminothermic production of zinc and corundum (P), 502.
Kohlschütter, V. and Walther, G. Lime-mortars: Solution and conversion of solid substances into colloids (A), 872.
Kohn, H. Heat of sublimation of carbon (A), 505.
Kondō, Kiyoharu. Recent progress of ceramic industry (A), 772.
Krak, J. B. Common defects occurring in glass (A), 514.
—— Devitrification and revitrification of glass (A), 515.
Kreisinger, Henry. Importance of air supply in combustion of coal (A), 774.
Kruger, E. A. Glass working elec. lamp bulbs. Glass manuf. (P), 696.
Kruson, J. H. Standardization of burning (A), 864.
—— Successful operation of a waste heat dryer (A), 856.
Kunz, George F. Economic minerals of Madagascar (A), 507.

L

L. V. Manuf. of architectural terra cotta (A), 789.
Lacroix, A. Les industries minérales non métalliféres a Madagascar (B), 160.
Ladd, James B. Method for handling bricks (P), 772.
Ladoo, Raymond B. New talc grinding capacity of the United States (A), 684.
—— Non-metallic industry of the United States (A), 495.
—— Talc in fire-resistant paint (A), 159.
—— Talc industry in 1920 (A), 507.
—— Talc and soapstone (A), 495; (A), 507.
Lambert, F. H. The Chicago method of firing brick (A), 517.
Lane, R. W. Mining chrome ore in Turkey (A), 684.
Langhans, A. Angle of slope (Böschungswinkel)—a new physical constant (A), 506.
Larchevêque, M. Firing hard porcelain with wood gas (A), 76.
Larsen, E. S. *see* Diller, J. S.
Lassally, A. Bild und Film im Dienste der Technik (B), 309.
Lewis, J. Volney. Abrasives (A), 508.
—— Mica (A), 165.
—— Mica in industry (A), 495; (A), 507.
Le Chatelier, Henry. Le chauffage industriel (B), 315.
Le Chatelier, H. and F. Mechanical properties of plastic substances (steel, glass). Importance of reactivity (A), 1006.
Leese, A. *see* Heath, A.
Le Geun. Wetting of coal for continuous lime kilns (A), 875.
Lenher, Victor. Silicic acid (A), 683.
Lesley, R. W. Making Portland cement (P), 432.
Liede, Otto *see* Schwarz, Robt.
Liévenie, Ed. Use of pulverized coal under stationary boilers (A), 1008.
Lin, C. C. *see* Twells, Robert, Jr.
Lincio, Gabriel. Soln. and growth forms of quartz from sodium tetraborate solns. heated under pressure (A), 858.
Lindstrom, R. L. Steel, sand properties (A), 500.
Locke, J. A. Coating materials; plastic compns.; coated fabrics; joint-making packing (P), 1003.
Lockhart, L. B. American lubricants (B), 309.
Loeser, C. Silicate chemist in industry (A), 859.
Logan, W. N. Kaolin of Indiana (B), 313; (A), 423.
Long, R. N. *see* Clare, R. L.
Lott, Clyde R. Glass forming machine (P), 430.
Luce, Grafton E. Method of kiln setting and burning (P). 414.
Lüers, N. and Schneider, M. Viscosity-concentration function of polydispersed systems (A), 505
Lux, H. A simple optical pyrometer (A), 1004.

M

Malinovsky, A. Chem. stoneware (A), 167.
Malphettes, L. New artificial cement plant (A), 876.
—— Progress in cement making (A), 874.
—— Use of fused cement in reinforced concrete structures (A), 873.
Mansfield, George R. Potash in New Jersey greensands (A), 313.
Marchal (Mlle.) *see* Matignon, A.
Marcus, Robert. Silicate containing materials of fat-like character and high absorptive power (P), 941.
Marr, Otto. Das Trocknen und die Trockner (B), 310.
Marsh, Kirtland. Suggestions for calibrating base metal thermocouples by freezing-point method (A), 779.
Mason, E. J. Cement—its inspection and testing (A), 519.
Mason, O'Neal *see* Everman, I.
Matejka, Josef. Colorimetric detn. of iron in silicates with ammonium thiocyanate (A), 942.
Mathy, Maurice. Glass pot furnace (P), 420.
Matignon, A. and Marchal (Mlle.). Prolonged action of carbonic acid on silicates and quartz (A), 161.
—— Use of enameled bombs in calorimetry (A), 1009.
Maufe, H. B. Mica. Geology of Lomagundi mica deposits (A), 424.
Maurach, H. Fuel and heat used in glass works (A), 516
Maynard, T. P. Georgia (kaolin) clays and their development (A), 856.
McBride, R. S. Engineering profession and government technology (A), 309.
McCallie, S. W. Fuller's earth in Georgia (A), 507.
McDermott, G. R. and Willcox, F. H. Waste-heat utilization (A), 691.
McGee, E. N. *see* Harvey, F. A.
Meade, Richard K. Manuf. of lime for chem. and metallurgical purposes (A), 80
—— Some new features in lime-kiln construction (A), 873.
Mees, C. E. K. Measurement of color (A), 940.
Mehling, C. W. and Carpenter, James W. Elec. vitreous enameling oven (O), 271.
Mellor, J. W. Chem. pottery (A), 425.
Menard, Pierre. Reversible mercury manometer with dampened oscillations (A), 496.
Metz, Carl and Hager, Hermann. Das Mikroskop und seine Anwendung Handbuch, etc. (B), 311.
Meunier, M. Glass manuf. (P), 869.
Meyer, F. Preparing glass, china and like surfaces for varnish (P), 516.
Meyer, H. C. Monazite (A), 495; (A), 507.
—— Zirconium. Uncommon ores and metals (A), 501.
Meyer, Ralph F. Clay press (P), 773.
Meyerhofer, Albert Fritz. Lining for kilns (P), 866.
—— Lining for rotary kilns or furnaces (P), 691.
Middleton, Howard E. *see* Moore, Charles J.
Miles, G. H. The human factor in industry (A), 69.
Miller, Benjamin L. Graphite (A), 165; (A), 507.
—— Graphite industry (A), 501.
Miller, E. B. Adsorption by silica gel (A), 505.
Miller, Frederich W. Glass-molding (P), 430.
Milligan, L. H., Crites, D. O. and Wilson, W. S. Indicators for carbon dioxide and oxygen in air and flue gas (A), 773.
Mills, George P. *see* Brooke. Frank W.
Milner, Edwin E. Glass annealing leer (P), 252.
Minton, R. H. Investigation of cause of "blowers" in solid porcelain sanitary ware.... and the cure (A), 781.
Mira, C. Certain types of testing furnaces used in ceramic industries (A), 688.
—— Straw-paper sheets for blocking up openings in kilns (A), 788.
Mitchell, Edmund I. Schedule of fees for consulting engineers (A), 309.
Montgomery, Robert J. Compn. of barium glass (O), 536.
Moore, A. L. Modified Vicat app. for study of setting time of cement (A), 519.
Moore, Charles J., Fry, William H. and Middleton, Howard E. Methods for determining the amount of colloidal material in soils (A), 776.
Moore, R. H. Silica-washing app. (P), 497.
Morein, A. *see* Guye, C. E.
Morel, J. Alumina (P), 314.
Morgan, Jerome J. New method for detn. of potassium in silicates (A), 423.
—— *see* Jackson, D. D.
Morris, Arthur Percy. Pottery-ware (P), 238.
Mott, Wm. Roy. Arc images in chem. anal. (A), 243.
Müller. Der Schactofen in der Zementindustrie (B), 255.
Munhollen, Frank. Brick-kiln (P), 867.
Munn, W. F. A laboratory high-temp. coke-resistance elec. furnace (A), 166.
Myers, Elmer E. *see* Bloxsom, John J.

N

Naske, Carl. Recent developments in grinding (A), 683.
Nelson, John. Cement-kiln (P), 432.
—— Portland-cement and calcining kiln (P), 432.
Nelson, W. A. Tennessee ball clay and its manuf. possibilities (A), 510.
Neumann, G. Heat flow in checker work of blast stoves and regenerative chambers (A), 691.
Nicksch, K. Paints for iron which is exposed to high temps. (A), 159.
Nishi, T. Surface creepage and high voltage (porcelain) insulation (A), 248.
Niwa, Y. *see* Shibusawa, M.
Norman, Glenn E. Tunnel-kiln (P), 776.
Northall-Laurie, D. and Ormandy, W. R. Refractory substances (A), 945.
Northrupp, E. F. Method and app. for melting oxides, etc. without contamination (P), 866.
—— Uniform high temp. throughout large volume (A), 862.
Norton, Charles L. Process for controlling the setting of cement products (P), 876.

O

Odén, Sven. Automatic method for mech. soil (and clay) anal. and ways of recording it (A), 860.
—— Structure of precipitates (A), 506.
—— **and Reuterskiold, A.** Clay of Ancylus (A), 861.
O'Hara, E. Radium luminous coatings (P), 517.
Ogawa, R. Quickly solidifying cement (P), 876.
Ogden, Ellsworth P. *see* Owens, John B.
Office, L. R. Laboratory furnace for deformation tests of refractories (A), 945.
Olsen, T. Y. A new type of automatic cement tester (A), 871.
Ormandy, W. R. *see* Northall-Laurie, D.
Orth, Frank. Brick and process for making same (A), 248.
—— **and Davis, H. E.** Humidity system of drying terra cotta (P), 796.
Ortman, F. B. Application of producer gas to periodic muffle kilns (O), 667.
Orton, Edward, Jr. The future of ceramic education in America (A), 772.
Ostwald, Wo. Fundamentals of the theory of color measurement (A), 780.
—— Normal colors and harmony of colors (A), 247.
—— **and Wolski, P.** Contribution to the dispersoid and colloid chem. of plaster (A), 170.
Oura, M. Magnesia cement (P), 877.
Owens, John B. Cooling means for tunnel-kilns (P), 865.
—— Means for cooling tunnel-kilns (P), 866.
—— **and Ogden, Ellsworth P.** Combustion chamber for tunnel-kiln (P), 866.
Owens, Michael. Glass-gathering and -shaping machine (P), 254.
Owens, Thomas S. Method of and app. for making sheet-glass (P), 75.

P

P. S. Prevention of scaling of burned clay pipes (A), 682.
Pascal, Raoul. Synthèses et catalyses industrielles (B), 309.
Peaslee, W. D. A. Factors controlling the design and selection of (porcelain) suspension insulators (A), 246.
Peck, Frederick B. Talc and soapstone (A), 165.
Peddle, C. J. Note on density of soda-magnesia glasses (A), 71.
Peek, F. W., Jr. Experience with porcelain insulators in America (A), 247.
Peeters, Alexander Franz. Glass furnace (P), 431.
Peiler, Karl E. Glass-delivering app. (P), 871.
—— Glass-severing (P), 869.
Pence, F. K. Note on saggar clay prepn. (O), 459.
Penfield, R. C. Mechanical handling of brick (A), 518.
Perrier, Albert, and Wolfers, F. Sensitive method of thermal anal. and transformation points of quartz, of iron and of nickel (A), 239.
Pettke, C. R. Glass manuf. and the sand industry of Pennsylvania (A), 250.
Pfaff, August. Refractory material (P), 691.
Pfaff, U. and Donath, M. Graphical methods of computing the compn. of ceramic bodies (A), 307.
Pfannenschmidt, P. L. Acid-proof buildings and structures (P), 317.
Pfund, A. H. New colorimeter for white pigments and results of use (A), 781.
Phelps, Stephen B. A novel core oven (A), 499.
Phelps, Stewart M. *see* Howe, Raymond M.
Phillips, F. J. and Rose, E. J. Mixing or comminuting and dissolving alkali silicates (P), 317.
Pierce, J. B. Jr. Barite (A), 195; (A), 507.
—— Strontium (A), 507.
Pietenpot, W. B. Expansion of glass at high temp. (A), 72.

Platzmann, C. R Cement colors and their chem. testing (A), 1013.
Plowmann, W. W. *see* Schidrowitz, P.
Portevin, A. Crystallization and devitrification (A), 1006.
Poste, E. P. Metallography of oxy-acetylene weld as affected by enameling (O), 546.
Powell, A. L. and Summers, J. A. Commercial photometry (A), 317.
Pradel. Recent developments in furnaces for solid fuels (A), 166.
Pratt, Joseph Hyde and Berry, Miss H. M. The mining industry in North Carolina in 1913–17 (A), 164.
Prichard, George A. *see* Buckman, Henry H.
Priest, Irwin G. A new study of leucoscope and its application to pyrometry (A), 496.
—— Statement to color committee (A), 246.

R

Radley, E. G. *see* Thomas, H. H.
Ragg, M. Bauxite as a pigment (A), 162.
Ramdohr, Paul. Basalts of the "Blaue Kuppe bei Eschwege," and adjacent occurrences and their cristobalite (A), 312.
Ramsdell, L. S. *see* Klein, A. A.
Randoin. Globular silica representing siliceous clay south of the Paris basin (A), 1007.
Rasser. Glass paper (A), 868.
Rebuffat, O. Refractory articles (P), 945.
—— Transformation of quartz into tridimite (A), 421.
Redfield, A. H. Foreign graphite in 1919 (A), 500; (A), 686.
Reinecker, H. P. *see* Danielson, R. R.
Reisenegger. Reorganization of instruction in ceramics (A), 238.
Reitz, E. Glass, enamels, and glazes (A), 250.
—— Process for manuf. of white clouded glasses, enamels and glazes (P), 253.
Remsberg, Frank C. Glass-cutting frame (P), 75.
Reuterskiold, A. *see* Odén, Sven.
Reynolds, Harry A. Machine for rolling plate-glass (P), 871.
Richardson, C. H. Glass sand. Glass sands of Kentucky (A), 423.
Rieke, R. Physical properties of whiteware glazes (A), 76; (A), 247.
—— Utilization of heat from cooling kilns (A), 240.
Rieport. Zement-Kalender, 1921 (B), 877.
Ries, H. and Somers, R. W. Clays and shales of Virginia, west of Blue Ridge (A), 424.
Riesser, Simon. Process for producing single white-enameled coat on steel (P), 255.
Ring, C. N. *see* Galvin, J. W.
Ritz, Eduard. Process for manuf. of white clouded glasses, enamels and glazes (P), 431.
Roberts, H. S. *see* Hostetter, J. C.
—— *see* Smyth, F. H.
Roberts, Joseph H. T. Process of preventing accumulation of moisture in drops on glass sheets (P), 431.
Robinson, W. C. *see* Ingberg, S. H.
Robson, H. C. Converting high-grade mat in magnesite-lined converters (A), 500.
Rodhe, O. Kinds of chimney losses and relative importance (A), 688.
—— Percentage of carbon dioxide not final test of good combustion (A), 688.
Rogers, Austin F. Cristobalite in spherulitic obsidian from Yellowstone National Park (A), 507.
Rogers, A. W. Identification of quartz particles in konimeter samples (A), 505.
Rollason, A. Refractory substances (P), 865.
Rose, E. J. *see* Phillips, F. J.
Rosenthal, E. Mech. properties of ceramic bodies and methods of measuring them (A), 238.
—— Mech. properties of porcelain (A), 509.
—— **and Singer, F.** Mechanical properties of porcelain and exact methods for determining same (A), 425.
Rosin, P. Fundamentals of heat losses in metallurgical furnaces (A), 1008.
Ross, Don W. Note on silica brick (O), 65.
Roy, Alexander. Combined boiling, crystallizing and calcining furnaces (P), 691.
Roys, F. W. Effect of humidity on leather belting (A), 414.
Rupprecht, George. Process for making enamels (P), 255.
Ruth, Erich. Manuf. of pressed porcelain (A), 509.
Ryon, Anna T. *see* Ryon, Edwin A.
Ryon, Edwin A. Glass-grinding machine (P), 869; (P), 871.
—— **and Ryon, Anna T.** Glass-grinding machine (P), 782.

S

Sachse, H. E. Mortar material of anhydrite (A), 697.
—— Use of volcanic slag in concrete to save cement (A), 171.
Sande, Karl *see* Wollan, N.
Sanderson, W. L. Artificial stone or brick (P), 867.
Satch, S. Study of heating and cooling curves of Japanese kaolinite (O), 182.
Sato, Goro. Manuf. of decorative glass, porcelain or the like (P), 783.
Sauer, M. Utilization of ash from ceramic kilns (A), 240.

Sauvageot, M. Manuf. of ultramarine blue (A), 940.
—— Ultramarine blue (A), 778.
Schaefer, J. Use of zinc sulphide for white and luminous enamels (A), 75.
Schaller, Waldemar T. Thorium, zirconium and rare earth minerals in 1919 (A), 164.
Schapira, B. Features of European (porcelain) insulator testing practice (A), 247.
Scharl, John. Process for making articles of quartz glass (P), 869.
—— Quartz-glass articles (P), 696.
Schertel, Wilhelm. Transferring designs to ceramic ware (A), 238.
Schidrowitz, P., Feldenheimer, W. and Plowman, W. W. Treating clay (P), 495.
Schiff, S. Dental cements (P), 1013.
Schmidt, O. Chemie für Techniker, etc. (B), 310.
Schneider, M. *see* Lüers, H.
Schneider, P. Unfired refractory brick (A), 861.
Scholes, S. R. An aid in the detn. of silica (A), 162.
Schreinemakers, F. A. H. and de Baat, Miss W. C. The arsenites of lithium and potassium (A), 311.
Schuen, W. Production of red brown salt glaze on stoneware (A), 782.
Schulze, A. *see* Hoffman, F.
Schurecht, H. G. Note on the effect of firing temps. on the strength of fire-clay and stoneware bodies (P), 366.
—— Experiments in dead-burning dolomite and magnesite (O), 127.
—— Sedimentation as a means of classifying extremely fine clay particles (O), 812.
—— Sepn. of lime from dolomite (O), 558.
Schuss, Gebr. Protective treatment of iron blast furnace tuyères (P), 317.
Schuttler, Wm. Arch-brick (P), 776.
Schwarz, Robt. and Liede, Otto. New modification of silicic acid (A), 242.
Schwarzbach, O. The manuf. of mother-of-pearl (A), 515.
Scohy, John R. Glass-drawing app. (P), 782.
Scott, Wirt S. Elec. heating in ceramics (A), 513.
Searle, Alfred B. Clays and clay products (A), 780.
—— Colloid chem. of clays and clay products (A), 858.
—— Modern brickmaking (B), 698.
Seigle, J. Theoretical considerations on subject of compn. of gases of combustion and gasification of coal (A), 1008.
Shagden, Jas. P. Industrial application of powdered fuel (A), 865.
Sharp, Donald E. Design of furnace for annealing optical glass (O), 597.
—— Simple expansibility test for determining welding properties of glass (O), 219.
Shaw, J. B. Preparation of glass and enamels (A), 788.
Shaw, John Schofield. Furnace for melting glass and other purposes (P), 74.
Shepard, Arthur T. Tunnel-kiln (P), 420.
Sheppard, Mark. Zirconia cements (O), 662.
—— *see* Howe, Raymond M.
Sheppard, S. E. Colloidal fuels, their prepn. and properties (A), 416.
Shibusawa, M. and Niwa, Y. New elec. precipitation heater (A), 251.
Shinya, R. Artificial stone (P), 877.
Showers, Lee. Method of finishing glass (P), 870.
Sieburn, S. E. Alumina (P), 502.
Sill, Alfred. Recent research in manuf. of porcelain insulators (A), 692.
Simcoe, George. National review of saggar situation (O), 393.
Simonds, Herbert R. *see* Hanley, Henry B.
Singer, Felix. Ceramic applications of the electrosmosis process (A), 239.
—— *see* Rosenthal, E.
Slemmons, Wilber S. Cause and control of lead poisoning (A), 867.
Slingluff, Harry G. Glass-drawing process (P), 253.
—— Process and app. for severing sheet-glass (P), 870.
Smith, Maurice A. Glass (P), 254; (A), 430.
Smith, W. Treating clays (P), 309.
Smyth, F. H. and Roberts, H. S. The system cupric oxide, cuprous oxide and oxygen (A), 311.
Solon, Leon V. Mutual relations of art and technology (O), 263.
Somers, R. E. *see* Ries, H.
Somerville, W. Lime and like kilns (P), 318.
Somieski, Karl *see* Stock, Alfred.
Sorcel, F. Theory of iron Portland cement (A), 873.
Sortwell, H. H. Earthenware bodies and glazes (O), 983.
—— High fire porcelain glazes (O), 718.
—— Solubility and fusibility of some feldspar frits (P), 446.
Sosman, Robert B. Distribution of scientific information in United States (A), 682.
Souder, W. H. *see* Danielson, R. R.
Speirs, Charles William. Elec.-heated crucible, melting-pot and the like (P), 241.
Spence, Hugh S. Graphite (B), 432.

Spinasse, Arthur E. App. for drawing glass cylinders (P), 253.
—— Glass-tank (P), 870.
Springer, Ludwig. Laboratoriumsbuch für die Glasindustrie (A), 169.
—— Calcn. for glass raw material and batches (A), 428; (A), 429.
—— Sodium silico-fluorite and phosphate pacifying agents (A), 429.
Spurr, J. E. Political and commercial geology and world's mineral resources (B), 313.
Spurrier, H. Discoloration of whiteware fired in carborundum saggars (O), 923.
—— The "why" of ageing clay (O), 113.
Stahl, C. J. Glass faults, causes and prevention, functions and applications in glass technic of our day (A), 782.
Staley, Homer A. Possibilities for research and development in the field of refractories (A), 314.
—— Some relations of compn. to solubility of enamels in acids (O), 703.
Stavorinus. Méker burners and Méker furnaces (gas) for industrial purposes (A), 500.
Steimer, Theodore C. Glass-handling app. (P), 253
Stein, Charles M. Crucible smelting furnace (A), 242.
Stier, Otto. Mixing (A), 857.
Still, Alfred. (Porcelain) insulation for high voltage transmission systems (A), 316.
—— Suspension type of transmission line (porcelain) insulators (A), 425.
Stock, Alfred. Normal or standardized fittings (A), 511.
—— Prosiloxan, silicon compd. corresponding to formaldehyde (A), 161.
—— **and Somieski, Karl.** Silicon hydrides. IX. Reactions with alkali metal (A), 1004.
Stoll, A. "Mazout" (burning oil) as fuel for lime kilns (A), 873.
Stolle, L. *see* Thiel, A.
Stone, Ralph W. Gypsum in 1919 (B), 313.
—— Magnesite (A), 500; (A), 507.
—— Why Washington magnesite mines shut down (A), 501.
—— *see* Yale, C. G.
Story, W. E., Jr. Some applications of photo-electric (selenium) cell to practical photometry (A), 428.
Stott, Verney. Device for measuring internal diameter of glass tubing (A), 74.
Stover, W. H. South American mining fields and practice (A), 684.
Strache, H. Furnaces (P), 421.
Straight, Halver R. Floor for brick-kilns (P), 250.
—— Wall for brick-kilns (P), 80.
Strane, A. J. Modern commercial explosives and their uses (A), 308.
Stratton, S. W. Further discussion of "Cal" (A), 255.
Stull, R. T. Experimental sepn. of lime in dolomite (A), 1008.
Sullivan, A. P. *see* Hartmann, M. L.
Summers, J. A. *see* Powell, A. L.
Sutcliffe, E. R. Slaking lime (P), 1013.
Svedberg. The survey of the physics and chem. of colloids (A), 422.
Swalm, P. H. Locating most favorable compn. of body and glaze (A), 781.
Sweely, B. T. Some data on the compn. of arsenic enamels for copper (O), 350.
—— Note on acid resistance of enameled cooking utensils (O), 407.

T

T. Z. Resistance to compression of crude clay bricks and masonry (A), 694.
Taggart, J. Scott. Two laboratory applications of triode valve (A), 512.
Tague, George Orlando. Machine for automatic and continuous manuf. of glass bottles (P), 870; (P), 783.
Tamm, O. Chem. compn. of post-tertiary clay material (A), 163.
Tarrant, A. George. Measurement of physical properties at high temp. (A), 166.
Taylor, Alice B. Casting pots for use in experimental work on optical glass (A), 73.
Taylor, A. H. A simple portable instrument for absolute measurement of reflection and transmission factors (A), 415.
Tedesco, N. de and Forestier, V. Nouveau manuel théorique et pratique du constructeur en ciment armé (B), 171.
Terres, E. Comparative heat efficiency of generator-gas firing and pulverized-coal firing (A), 313.
Thiel, A. and Stolle, L. A substitute for Thoulet's soln. (A), 497.
Thomas, H. H., Hallim, A. F. and Radley, E. G. Refractory materials; ganister and silica rock; sand for open hearth, etc. (A), 685.
——, **Hallimond, A. F. and Bradley, E. G.** Special reports of the mineral resources of Great Britain (A), 167.
Thomas, Kirby. Possible uses for spent shale from oil shale operations (A), 518.
Thomas, R. D. Moore rapid "Lectromelt" furnace (A), 418.
Thomas-Cadilhat, J. Firing of ceramic ware with petroleum (A), 688.

Thompson, W. P. Handbook of patent laws of all countries (B), 310.
Thomsen, T. C. Practice of lubrication (B), 310.
Tillotson, E. Ward. The new factory of the Monongah Glass Factory (O), 3.
Tone, Frank J. Refractory article and process for making same (P), 242.
Tool, A. Q. and Eichlin, C. G. Absorption of heat in glass (A), 251.
Travers, Morris W. Surface effects in glass, produced by reheating in glory hole (A), 73.
Tremper, Bailey. What causes cement to be quick setting (A), 1012.
Tsuboi, Saburô. Decolorization of glass by metallic selenium (A), 428.
Turner, W. E. S. Factory inspection of glass ware (A), 72.
—— Glass industry in England and the United States (A), 515.
—— Some developments in the study of glass technology in the year 1919–20 (A), 73.
—— *see* Firth, Miss E. M.
Twells, Robert, Jr. The handling and shipping of brick (A), 517.
—— Some applications of drum and cable in brick plant (O), 213.
—— **and Lin, C. C.** Effect of replacement of free silica by alumina and zirconia in elec. porcelain (O), 195.
Tyler, Stephen L. Fused silica, its properties and a few uses (A), 165.

U

Ueda, T. Frosted glass (P), 868.
Uehling, F. F. Saving fuel by controlling chimney losses (A), 515.

V

Vergniaud, Louis. Process and app. for drying crucibles (P), 773.
Vogtherr, H. Permutite (A), 494.
Vought, George W. Mold for making tiles (P), 249.

W

Wade, H. Zirconium salts (P), 502.
Wadsworth, Frank L. O. Glass-working machine (P), 869.
Waldron, Frederic Barnes. App. for grinding or polishing plate glass (P), 784.
Walther, G. *see* Kolschütter, V.
Ward, S. Keith. Clay. Report on clays worked by Longwood Tessellated Tile Co., Ltd., at Longwood (A), 422.
Warga, K. Colored glass (A), 250.
Washburn, Edward W. Ceramic industries (A), 238.
—— Dynamics of capillary flow (A), 242.
—— Note on a method of determining the distribution of pore sizes in a porous material (A), 1003.
—— Porosity. I. Purposes of investigation. II. Porosity and mechanism of absorption (O), 916.
—— **and Bunting, Elmer N.** Porosity. IV. The use of petroleum products as absorption liquids (O), 983.
—— **and Footitt, Frank F.** Porosity. III. Water as an absorption liquid (O), 961.
——, **Footitt, Frank F. and Bunting, Elmer N.** Dissolved gases in glass (A), 168.
Washington, Henry S. Note on crucibles used in rock anal. (A), 421.
Watts, Arthur S. Note on cobalt stain in whiteware bodies (O), 451.
—— Terra cotta industry for Ohio (O), 731.
Weidert, F. and Berndt, G. On the annealing temp. of glass (A), 429.
—— Melting point of glass (A), 695.
Weiss, H. The present state of pyrometry (A), 1004.
Welch, F. C. *see* Emley, Warren C.
Wernicke, F. Quartzites and silica bricks (A), 944.
Wessely, A. H. Bloomery furnaces and other turned pieces made on potter's wheel (A), 516.
West, Clarence Jay. Reading list on vitreous enameling on iron and steel (O), 47.
Whitmer, J. D. Nickel oxide in glazes (O), 357.
Whittmore, James. Sheet-drawing app. (P), 516.
Wilder, Frank A. Gypsum (A), 165; (A), 507.
Wildman, H. G. Alumina, etc. (P), 1007.
Willard, H. H. and Cake, W. E. Perchloric acid as a dehydrating agent in detn. of silica (A), 162.
Willcox, F. H. *see* McDermott, G. R.
Williams, H. E. Chromite deposits of Bahia, Brazil (A), 501.
Wilson, A. J. Recovery of lubricating oil (A), 1003.
Wilson, Ernest D. Belting for power transmission (A), 159.
Wilson, Hewitt. An oxygen-acetylene high-temp. furnace (O), 835.
Wilson, J. A. Elec. charge on colloids (A) 780.
Wilson, Robert E. Humidity control by means of sulphuric solns., etc. (A), 506.
—— *see* Ingberg, S. H.
Wilson, Wm. H. and Epps, Miss T. D. Construction of thermocouples by electro-deposition (A), 160.
Wilson, W. S. *see* Milligan, L. H.

Winslow, C. E. A. and Greenburg, Leonard. Industrial tuberculosis and control of factory dust problem (A), 772.

Wolfers, F. *see* Perrier, Albert.

Wollan, N. and Sande, Karl. Burning lime (P), 948.

Wolski, P. *see* Ostwald, Wo.

Woods, B. J. *see* Geller, R. F.

Woolson, I. H. Remarks on new ordinance for proper construction of chimneys (A), 518.

Wright, F. E. Cords and surface markings in glassware (O), 655.

—— Dispersion in optical glasses (A), 1009.

Wyckoff, Ralph W. G. Crystal structure of magnesium oxide (A), 780.

Y

Yale, C. G. and Stone, R. W. Magnesite in 1919 (A), 686; (A), 690.

Young, Roy N. *see* Bates, P. H.

Z

Zehmen, Heinz v. Swelling phenomenon in fibrous alumina (A), 421.

Zeller, Hermann. Laboratory blue burner (Frank model) (A), 1004

Zimmerli, Wm. Lime as a source of trouble in clay (A), 682.

Zimmerman, Dr. Lime as a source of trouble in clay (A), 682.

Zschiegner, Herbert E. Decomposition and analysis of silicates without necessity of fusion (A), 502.

SUBJECT INDEX

The references are to page numbers. The capital letters in parentheses after the titles have the following significance; (A) Abstract, (E) Editorial, (O) Original, (P) Patent.

A

Abrasives (P), 241; (A), 508.
alumina (P), 315.
ceramic bonds for (A), 508.
composition (P), 508.
grinding-wheels (P), 691.
materials, survey for 1921 of (A), 945.
production of, in Canada in 1919 (A), 506.
production of, in North Carolina (A), 164.
Absorption, mechanism of (A), 918.
Absorptivity, definition of (O), 920.
Abstracts, ceramic (E), 83.
Acetylene on glass blowing for pyrex (A), 867.
Acid-proof
structures (P), 317.
resistance of enameled cooking utensils (O), 407.
Adhesives and cements, book. Handbuch der Kitte und Klebemittel, 309.
Adsorption
of air by burned clay bodies (A), 966.
of water vapor, by clay burned bodies (O), 965.
Ageing, terra cotta body (A), 453.
Air,
compressed, book. Pumping by Compressed Air, 311.
heater, improved gas heating (A), 419.
Ajax, Northrup high frequency furnace (A), 862.
Alumina,
abrasives (P), 315.
fibrous swelling of (A), 421.
from clay (P), 943; (P), 1007.
fused, for rotary kiln lining (P), 691.
polymerization of (O), 191.
preparation of (P), 502.
production of (P), 314.
strength of, at high temps. (A), 69.
Aluminates of sodium (A), 311.
Aluminum,
industry (A), 501.
production of in 1919 (A), 163.
Angle of slope of sand, clay, gravel particles (A), 506
Anhydrite as cement (A), 697.
Annealing
furnace for optical glass (O), 597.
temps. of glass (A), 429.
Arc images, in chemical analysis (A), 243.
Arsenites, lithium and potassium (A), 311.
Art and technology (O), 263.
Artist and manuf., relation of (O), 443.
Asbestos (A), 507.
in the paint industry (A), 159.
Ashes, kiln, used for heating boilers (A), 240.

B

Barite,
in Australia, 1920 (A), 424.
industry in 1920 (A), 495.
production in Canada in 1919 (A), 507.
production in North Carolina 1913–17 (A), 164.
Barium oxide in glazes (O), 29.
Barytes (A), 507.
Basalts of "Blaue Kuppe bei Eschwege" (A), 312.
Bauxite,
as a pigment (A), 162.
industry in 1920 (A), 501.
in West Africa in 1921 (A), 684.
ores in West Australia (A), 506.
production in 1919 (A), 163.
purifying, by phosgene (A), 162.
strength of, at high temps. (A), 169.
thermal expansions of (A), 1005.
Belting for power transmission (A), 159.
Block floor for brick kilns (P), 250.
"Blowers" in porcelain sanitary ware (A), 781.
Blow-pipe construction (A), 868.
Blue ultramarine, compositions for (A), 778; (A), 940.
Bodies, ceramic,
fitting glazes and (A), 781.
measurement of mechanical properties (A), 238.
Bonds, ceramic for abrasives (A), 508.
Borate, sodium penta.
in glass, enamels, glazes (P), 1009.
in glass manuf. (P), 869.
Borax, production in U. S. A. in 1920 (A), 683.
Bottle,
manuf., automatic (A), 515.
manuf. in Spain (A), 867.
mold cutting, automatic (A), 515.
Breaking machine, static notched-bar (A), 497.
Brick,
arch (P), 776.
building, manuf. of lime-silica for (A), 694.
building, physical properties of (A), 788.
classifications for shapes (A), 79.
concrete cement (A), 874.
crude clay, resistance to compression of (A), 694.
drying, Proctor system (A), 518.

enameled, plant lay out (A), 788.
fire,
for kiln (P), 865.
German naval specif. (A), 689.
spalling tests on (O), 206.
veneer of carborundum for (A), 773.
firing, Chicago method (A), 517.
handling,
and shipping (A), 517.
mechanical (A), 518.
method for (P), 772.
industry, cost of power (A), 517.
kiln (P), 867.
lime-sand (A), 426.
lime-silica (P), 248.
machine (P), 80; (P), 249; (P), 867.
making, book on, 518; Modern Brick Making, 698.
mold (P), 249.
new selling methods for (A), 79.
plant, drum and cable in (O), 213.
plant, layout for car tunnel kiln (O), 277.
porous (A), 682.
refractory, magnesite and bauxite (P), 775.
silica,
breaking of, in use (O), 66.
composition of, after use (O), 66.
expansion (O), 65.
for coke ovens (A), 689; (A), 864.
German, manuf. of (A), 944.
heat treatment of, reflected in crystal structures (O), 805.
physical properties of (A), 861.
specifications for (A), 79.
study of American and German quartzite for (O), 953.
slag, composition of (A), 1012.
standardization of, in Germany (A), 694.
with plaster of Paris binder (A), 698.
Brinell method of hardness, testing for glazes and enamels (O), 896.
Building,
columns, fire and load tests on (A), 785.
material, French specifications for (A), 695.
Burner,
gas, use of talc in (A), 245.
laboratory gas, Franke, high temps. (A), 1004.
standardization of (A), 864.

C

"Cal" in Portland cement (A), 255.
Calcium,
hydroxide, rate of sedimentation (A), 872.
oxide,
in glazes (O), 27.
rate of hydration (A), 872.
Capillary,
flow, dynamics of (A), 243.
phenomenon (A), 311.
Carbon,
dioxide,
analyzing instrument for (A), 857.
as indicator of good combustion (A), 688.
heat of sublimation (A), 505.
monoxide detector (A), 857.
resistance furnace, repair of (A), 166.
Carbonic acid,
action of silicates and quartz (A), 161.
gas, addition of to generator process (A), 314.
Carborundum,
purifying by phosgene (A), 162.
saggars, formation of iron carbonyl in (O), 923.
strength of, at high temps. (A), 69.
veneer for fire brick (A), 773.
Carrier, ejector nozzles for air (O), 800.
Catalysis, industrial, book. Synthèses et catalyses industrielles, 309.
Cement,
book, Zement-Kalender, 1921, 877.
brick, concrete (A), 874.
chem. analyses and behavior of (A), 1011.
clinker,
cause of disintegration of (A), 874.
dusting of (A), 518.
colors, chem. testing of (A), 1013.
corrosion tests (A), 170.
dental use of colloidal acid in (P), 1013.
from anhydrite ($CaSO_4$) (A), 697.
fused (A), 874.
by elec. furnace (A), 317.
in reinforced concrete (A), 873.
heat resisting (P), 241.
hydraulic lime (A), 874.
hydraulic survey in 1921 (A), 947.
industry,
book. Der Schachtofen in der Zementindustrie, 255.
French research lab. for (A), 785.
in Algeria and Morocco (A), 1011.
Keene's (P), 787; (P), 876.
laboratory French, request for (A), 876.
law for hardening of (A), 1011.
magnesia (P), 877.
plastic, physical properties of (O), 570.
making, book. Fabrication du ciment, 318.
mineral oils, action of (A), 697.
molding of small articles (P), 255.
plant at Rantel, France (A), 876. Portland,
book. Zehn Jahre Portland-zement Prüfung, 948.
chem. analysis of (A), 785; (A), 1009.
clinker, from feldspar and lime (A), 519.
iron, pozzuolana mixtures of (A), 947.
iron, theory of (A), 873.

making (P), 432.
rapid estimation of MgO in (A), 503.
specifications for (A), 81.
survey of 1921 (A), 947.
testing of (A), 81.
theory of setting and hardening (A), 1012.
production in Canada in 1919 (A), 507.
refractory bricks of (A), 686.
Roman survey of 1921 (A), 947.
schist (A), 874.
setting,
causes of quick (A), 1012.
control of (P), 876.
modified. Vicat apparatus for (A), 519.
quick (P), 876.
slow (P), 787; (P), 876.
thermal phenomena of (A), 170.
shrinkage of, effect of calcium salts on (A), 948.
for silica brick (A), 79.
slag (P), 318.
use of volcanic (A), 171.
testing (A), 519.
testing machine, automatic (A), 871.
tile, properties of (A), 876.

Cements and adhesives, book, Handbuch der Kitte und Klebemittel, 309.

Centrifuging slimes from liquids (A), 496; (A), 683.

Ceramic,
bodies, computing composition by graphical method (A), 307.
division, Canadian report of (A), 780.
industry,
book. Sprechsaal-Kalender für die Keramischen, Glas-und verwandten Industrien, 1921.
Japanese progress in (A), 772.
in Nova Scotia (A), 682.
prospects (A), 238.
school, new in Canada (A), 941.
Society, German, prize awards of (A), 239.
Station, work of Bureau of Mines, Columbus, Ohio (A), 682.

Ceramics,
book. Taschenbuch für keramiker, 1921, 857.
in German schools (A), 238.
instruction in, at Charlottenburg (A), 238.

Chantraine, metallurgical furnace (A), 690.

Chemical,
analysis by arc images (A), 243.
book. Technical Methods of Analysis, 789.
engineering, books. A Text Book of Chemical Engineering, 318; Chemical French, 310.
literature, investigation of (A), 772.
warfare, book. Chemical Warfare, 1013.

Chemist, silicate in industry (A), 859.

Chemistry,
factory, book. Factory Chemistry, 1008.
for technicians, book. Chemie für Techniker. Leitfaden für Maschinen und Bautechniker 310.

Chimneys, new ordinance (A), 518.

Chrome,
ore,
and brick method of chem. analysis (A), 774.
in Asia Minor in 1919 (A), 312.
in Bahia, South America (A), 684.
in Turkey (A), 684.
refractories, strength at high temps. (A), 69.

Chrometer, Ostwald's, color measurement (A), 780.

Chromite,
industry in
Brazil (A), 501.
U. S. A. in 1919 (A), 686.
1920 (A), 501.
plant of North Carolina in war time (A), 685.

Citadel Brick and Paving Block Co., Quebec, Can. Conversion of periodic kiln into continuous kiln (A), 694.

Clay,
of Ancylus, size of particles (A), 861.
ball, Tennessee (A), 510.
survey of 1921 (A), 940.
bands in North America and Sweden, correlation of (A), 1007.
bond, study of mixtures of (O), 902.
chem. compn. of
Gross Almerode, Lester, Ark., Mayfield, Ky., Trenton, N. J., Whitlock, Tenn. (O), 904.
post-tertiary (A), 163.
china,
coagulated or electro-osmosed, for refractory substances (P), 945.
fired, porosity and shrinkage of (A), 68.
survey of 1921 (A), 940.
diaspore in Missouri (A), 244.
fire,
bodies, effect of firing temp. on porosity, shrinkage and strength (O), 366.
of Great Britain, book. Special Reports on the Mineral Resources of Great Britain. XIV. Refractory materials, fire clays, 945.
in Missouri in 1919 (O), 244.
strength of, at high temps. (A), 69.
tiles, transverse strength at furnace temps. (O), 608.
flint in Missouri in 1919 (A), 244.
French, shrinkage on (A), 856.
Georgia, development of, in (A), 856.

industry, production of in Canada, 1919 (A), 507.
book. Tonindustrie-Kalender, 1921, 310.
Japanese acid, acidity of (A), 503.
Longwood Tessellated Tile Co., Ltd., Longwood (A), 422.
of North Carolina (A), 164.
of Ontario (A), 780.
particles, automatic sizing of (A), 860.
pipes, prevention of scaling in (A), 683.
soil, of Susquehanna, absorption of ammonia by (A), 776.
absorption of dyestuffs (A), 777.
colloid content of (A), 776.
for terra cotta in Ohio (O), 732.
of Texas (A), 507.
of Tionesta, Ohio, for terra cotta (O), 736.
treating (P), 495.
ultra (A), 776.
absorption of ammonia by (A), 776.
in Virginia, west of Blue Ridge, (A), 424.

Clays,
ageing (O), 113.
American, in graphic crucibles (A), 686.
and clay products, colloid chem. of (A), 780; (A), 858.
colloidal,
adsorption of basic ions (A), 858.
character of (A), 858.
gases in pugged (O), 113.
lime trouble in (A), 682.
plasticity of and molecular force of (A), 941.
press for (P), 773.
rehydration of burned, by boiling in water (O), 972.
saggar, prepn. of (O), 458.
sedimentation of,
means of classifying (O), 812.
by plummet method (O), 812.
shrinkage of, time effect on (O), 282.
thermal expansions of (A), 1005.
treating with volatile carbon compds. (P), 309.
water smoking o (O), 375

Coal,
book. Coal in Great Britain, 315.
burning, compn. of gases of (A), 1008.
-dust, firing in America (A), 688.
powdered,
book. Powdered Coal as a Fuel, 315.
as fuel economy (A), 416.
Grindle system of burning (A), 416.
under stationary boilers (A), 1008.
saving in the chem. industry (A), 166.

Coating,
compn. bitumen (P), 520.
materials (P), 1003.

Cobalt stain on whiteware bodies (O), 451.
Coke oven refractories, testing of (O), 474.

Colloid,
chemistry,
general and industrial application (A), 779.
of clays and clay products (A), 858.
content of clays,
by ammonia absorption (A), 776.
by dyestuff absorption (A), 777.
developments (A), 506.

Colloidal solns. and masses, industrial prepn. of (A), 940.
"Colloidogenetic" mill, of Plauson and Block (A), 940.

Colloids,
elec. charge on (A), 780.
physics and chem. of (A), 422; (A), 504.

Color,
measurement, Ostwald's chrometer (A), 780.
measurement for glasses, porcelains, enameled surfaces, etc. (A), 940.
properties of (A), 246.

Colorimeter,
for white pigments (A), 781.
on subtractive principle (A), 509.
Colors, harmony of, for glazes (A), 247.
Combustible gas detector (A), 857.
Combustion of coal, air supply for (A), 774.

Concrete,
action of
alkali soils and waters on (A), 170.
chemicals on (A), 519.
sea water on (A), 518.
reinforced, book. Nouveau manuel théorique et pratique du constructeur en ciment armé, 171.

Conductivity *see* Electrical, Electrolytic, Thermal.
Core-baking ovens, elec. heated (A), 419.
Cores, baking in elec. heated ovens (A), 165.
Cornish stones, English chem. compn. of (A), 859.

Corundum,
in Madagascar (A) 244; (A), 507.
mixt., for kiln lining (P), 866.
manuf. by alumino thermic method (P), 502.
strength of, at high temps. (A), 69.
Cost system, its usefulness (A), 414.
Cracks, and holes in a body, definition of (O), 922.

Cristobalite,
transition point of (A), 161.
spherulitic obsidian, of Yellowstone Nat. Park (A), 507.
Crowns, kiln, water proofing of (A), 688.
Crucible, elec. heated (P), 241.

Crucibles,
clay and graphite,

making of (P), 866.
use of non-ferrous metal in (P), 857.
drying process and app. (P), 773.
for high temp. melting oxides (P), 866.
of Pt-Ir, Pd-Au for rock analysis fusions (A), 421.
use of bituminous and oil shale clay (A), 167.
Cryolite, in enamels, for fish-scaling (O), 625.
Crystal structure by Debye-Scherrer method (A), 317.
Crystallization, general principles (A), 1006.
Cullet, handling of (O), 23.

D

Decoration,
of porcelain (A), 248.
use of shells on glass, porcelain, etc. for (P), 783.
Decorative processes, research in ceramics (E), 326.
Density,
bulk (apparent) definition of (O), 921.
true, definition of (O), 921.
Designs, transferring, to ceramic ware (A), 238.
Devitrification, general principle (A), 1006.
Diatomaceous earth (A), 494; (A), 1003.
Dilatometric differential method, of transition points (A), 161.
Dolomite,
dead burning of (O), 127.
dissociation of, action of calcining on (O), 563.
industry in Missouri in 1919 (A), 245.
petrography of (A), 685.
porosity of fluxes and calcining temps. (O), 146.
separation of lime from (O), 558.
by elutriation (O), 566.
by flotation (O), 564.
by leaching and screening (O), 564.
treatment with sulphuric acid (O), 563.
shrinkage of fluxes and calcining temps. (O), 146.
sintering of (A), 862.
stability of, fluxes, fine grinding and calcining temp. (O), 133.
Dolomites,
American, chem. analyses of (A), 943.
Ohio, chem. compn. of (O), 132.
Draft, natural and mechanical (O), 825.
Drier,
brick (P), 426.
Ruggles-Coles (A), 856.
waste heat (A), 856.
Driers,
book, Das Trocknen und die Trockner, 310.
Drum and cable, in brick plant (O), 213.
Drying,
of clay ware (A), 683.
economical theory of (A), 942.
by elec. superheated steam (A), 494.
kiln (P), 856.
terra cotta, humidity system of (O), 796.
tunnels (P), 238.

E

Earthenware bodies,
calcined flint in (A), 691.
compositions of (O), 991.
Editorship, change of (E), 1.
Education, ceramic in America (A), 772.
Electric,
furnace refractories (A), 70, (A), 71.
heating
for vitreous enameling (O), 461.
in ceramics (A), 513.
Electrical
cond. of metals and alloys at high temps. (A), 1005.
resistivities, refractories at high temps. (A), 165.
Electrolytic cond. of permutite mixt. (A), 244.
Electrosmosis, ceramic application of (A), 239.
Enamel,
for iron blast furnace tuyères (P), 317.
industry, gas in (A), 254.
smelting procedures (O), 627.
spraying, Meurer molten (A), 787; (A), 1015.
ware, solder for (P), 517.
Enameled,
calorimeter bombs (A), 1009.
cooking utensils, acid resistance of (O), 407.
steel,
industry (A), 169.
single cost of (P), 255.
Enameling,
furnace, elec. (A), 946.
oxy-acetylene welds. Metallography of (O), 546.
process of, elec. heating of (P), 255.
production, elec. heating and (A), 946.
stock, mechanical treatment of (O), 641.
vitreous,
elec. heating in (O), 461.
elec. oven for (O), 271.
Enamels,
annealing of (O), 639.
arsenic, for copper (O), 350.
bibliography of literature on (O), 47.
clouded (P), 250; (P), 253; (P), 431.
coeff. of expansion and compn. (O), 628.
fish-scaling of,
causes (O), 620.

effect of boric oxide, cryolite, fluorspar, sodium oxide on (O), 625.
remedies for (O), 620.
fusion point of,
effect of boric acid, cryolite, fluorspar, sodium oxide on (A), 626.
ground coat (O), 646.
frits for compn. (O), 648.
thermal expansion of (O), 651.
hardness of (O), 900.
luminous (A), 75.
making of, by direct flame (P), 255.
photometry for (A), 317.
prepn. of (A), 788.
sodium pentaborate (P), 1009.
solubility in acids,
effect of Al_2O_3, BaO, B_2O_3, CaF_2, CaO, cryolite, MgO, Li_2O, Na_2O, PbO, SrO, ZnO (O), 707.
effect of compn. on (A), 703.
steel and iron for chem. compn. of (A), 639.
thermal expansion of (O), 628; (O), 631.
white for copper,
composition for
advertising letters (O), 827.
thermometer scales (O), 827.
watch dials (O), 827.
effect of B_2O_3, cryolite, Na_2O, PbO, SiO_2 on (O), 827.
melting technic (O), 829.
zinc sulphide in (A), 75.

Engineering profession, and government technology (A), 309.

Etching ink, for glass (A), 428.
Executive conference, September 1921 (Ξ), 881.
Explosives, and uses (A), 308.

F

Factory operations, films of book. Bild und Film im Dienste der Technik Part 1. Betreibs—photographie, Part 2, Betreibs—kinematographie, 309.

Federal Glass Co., simplex leer (A), 515.
Fees, for consulting engineers (A), 309.
Feldspar,
in glazes, (O), 27.
industry,
Canadian in 1919 (A), 507.
North Carolina (A), 164.
Survey of 1921 (A), 941.
mineralography of (A), 1007.

Ferric oxide,
dissociation of (O), 929.
dissolved in glass (O), 932
in clays (O), 930.

Filter pressing, book. Filtern und Pressen, zum Trennen von Flüssigkeiten und festen Stoffen, 942.
Filtering drum, technic of (A), 496.
Fire tests, on building columns (A), 785.
Fire-brick, *see* Brick, fire.
Fire-clay, *see* Clay, fire.
Firing,
books. Beitrag zur Feuerungstechnik. 1 Teil, 167; Elemente der Feuerungskunde, 167; Le chauffage industriel, 315; Taschenbuch für Feuerungstechniker, 315.
Flint,
calcined in earthenware bodies (A), 691.
origin of (A), 163; (A), 245.
Flue gas analysis, graphical method of (A), 504.
Fluorite,
refraction data of (A), 428.
transmission data of (A), 428
Fluorspar,
fish-scaling in enamels (O), 625.
industry, survey of 1921 (A), 941.
Frits,
feldspar; fusibility of (O), 446.
solubility of (O), 446.
Fuel,
books. Fuel Economy, 315; Powdered Coal as a Fuel, 315; British Report of the Fuel Research Board for Years 1918 and 1919, 315.
bricks of lignite as (A), 785.
colloidal (A), 417.
prepn. of properties (A), 416.
heating-furnace, progress during 1920 (A), 500.
for industrial heating (A), 1008.
powdered, industrial application (A), 416, (A), 865.
saving,
chimney losses (A), 515.
furnace efficiency (A), 500.
Fuller's earth,
industry, Georgia (A), 507.
survey in 1921 (A), 940.
transporting dustless, soluble binder (P), 1003.
Furnace,
atmospheres, effect on lead glazes (A), 692.
calcining, for refractory materials (P), 866.
combined boiling, crystallizing, and calcining (P), 691.
electric,
acid, steel, acid reaction modified by heat (A), 499.
Ajax Northrup high frequency high temp. (A), 862.
in American metal industry (A), 313.
book. Die elektrischen Oefen, 240.
compn. of gases in (A), 1008.

heat losses through electrodes (A), 313.
high temp. coke resistance (A), 166.
increase in use of (A), 313.
laboratory melting (A), 416.
"Lectromelt"—Moore rapid (A), 418.
Swedish pig iron for (A), 497.
vs. combustion for low temp. (A), 313.
vs. fuel fired (A), 166.
fuel coking (P), 421.
gas,
blast, compn. of gases (A), 1008.
crucible smelting (P), 242.
efficiency, fuel saving (A), 500.
for drying clays, etc. (P), 866.
glass (P), 74; (P), 431; (P), 868.
house, design (O), 224.
house, operation (O), 224.
pot (P), 420.
producer gas for (O), 18.
tank for (P), 870.
high temp., clay testing, oxy-acetylene (O), 835.
high temps. testing (O), 755.
industrial, Méker (A), 500.
laboratory, for refractory deformation tests (A), 945.
metallurgical Chantraine (A), 690.
optical glass annealing in natural gas (O), 597.
porcelain enameling (A), 696.
surface combustion (P), 241.
vertical gas (A), 499.
micro combustion for C, H, N (A), 414.
Furnaces *see* Ovens, Kilns.
Bloomery (A), 516.
fused alumina lining for (P), 691.
solid fuel,
German patents for (A), 166.
testing for ceramic industries (A), 688.

G

Ganister, petrography of (A), 685.
Gas,
burners, high grade for (A), 419.
in industrial heating (A), 499.
pipes, danger of forcing air thorugh for clearing (A), 689.
producer, on periodic muffle kiln (O), 669.
Gases, flue
instruments for analysis of (A), 773.
records of analyses of (A), 688.
Generator process, addition of carbonic gas to (A), 314.
Glass,
absorption of heat in (A), 251.
ancient and modern methods of manuf. of (O), 85.
annealing leer (P), 252.
temp. of (A), 429.
batch
calcns. of (A), 428; (A), 429.
corrosion on American clays and clay mixts. (O), 909.
corrosion, on Gross Almerode clay (O), 909.
prepn. of (O), 108.
system for (O), 20.
coloration, due to iron oxides (O), 927.
compositions,
artificial stone (P), 516.
aventurine (A), 251.
barium (O), 536.
clouded (P), 250; (P), 253; (P), 516.
containing titanium oxide (P), 252.
elec. lamp bulbs (A), 513.
golden yellow (A), 251.
lamp chimneys (A), 428, 513.
low coeff. of expansion (P), 254; (P), 430.
opal for tubing (A), 251.
pressed tumblers (A), 513.
selenium red (A), 251.
selenium ruby (A), 428.
for watch (A), 428.
decoloration of, by selenium (A), 428.
defects, seeds and sandstones (A), 514.
deformation of, at high temps. (A), 17.
devitrification and revitrification (A), 515.
dissociation of ferric oxide, dissolved in (O), 932.
dissolved gases in (A), 73; (A), 168.
elec. cond. of (A), 251.
etching ink for (A), 428.
expansion of, at high temps. (A), 72.
factory of Monongah Glass Co. (O), 3.
faults of (A), 782.
fuel and heat used in glass works (A), 516.
furnace, glass *see* Furnace, Gas.
industry,
books. Adressbuch der Glasindustrie in Deutschland, Coburg 1009; Laboratoriumsbuch für die Glasindustrie, 169.
British chem. for (A), 511.
British Scientific (A), 782.
Canadian, in 1918 (A), 946.
in England and U. S. A. (A), 515.
of Pennsylvania in 1919 (A), 250.
world crisis in (A), 867.
infra-red absorption and temp. of (A), 512.
its problems (A), 316.
magnesia soda, density of (A), 71.
marking of, by aluminum point (A), 429.
measuring hardness and strain by scleroscope (P), 783.
mechanical app.; devices, machines.
bottle,

automatic (P), 870.
continuous (P), 783.
blowing machine (P), 868.
casting table (A), 430.
cutting molten glass (P), 869.
cylinder drawing (P), 253.
delivering (P), 871.
drawing (P), 782; (P), 870.
double ring (P), 516.
feeding device for (A), 73.
forming (P), 430.
gathering and shaping (P), 254.
grinding (P), 782; (P), 869; (P), 871.
handling (P), 253.
hollow articles (P), 783.
mold charging (P), 253.
for plate
casting (P), 252; (P), 871.
grinding and polishing (P), 784.
severing device (P), 871.
sheet,
drawing (P), 516.
turning over of (P), 784.
severing (P), 870.
stirring machine (P), 252.
methods, processes of
burning colors on (P), 250.
coating with transparent material (P), 782.
cutting (P), 75.
devitrified app., repair of (A), 867; (A), 250.
drawing process (P), 253.
finishing (P), 870.
firing in elec. furnace (P), 869.
frosted (P), 868.
glass paper (A), 868.
joining (A), 511.
melting
in shallow pots (A), 515.
whirling batch particles in vertical column (A), 783
mixing and dissolving alkali silicates (P), 317.
molding (P), 430.
mother-of-pearl (A), 515.
prevention of accumulation of moisture drops on (P), 431.
severing molten glass (P), 869.
sheets (P), 75.
cutting of (P), 870; (P), 430.
ornamenting (P), 869.
silvering of (A), 427.
surface prepn. for varnishing (P), 516.
working (P), 696.
elec. lamp bulbs (P), 696.
opacifying agents, sodium silico-fluoride phosphates (A), 429.
optical, annealing furnace for (O), 527.
barium glass, effect of alkalis ZnO, Al_2O_3, SiO_2, BaO, and B_2O_3 on optical properties (O), 536.
dispersion of (A), 1009.
melting points of (A), 695.
pots for (A), 73.
permeability to iodine and bromine vapors (A), 252.
pots, bond clay mixt., study of (O), 902.
elec. heating of (P), 241.
failure of (O), 109.
heating (P), 103.
making (P), 431.
and treatment of (P), 97.
optical glass (A), 73.
prepn. of raw materials for (O), 99.
shallow (A), 515.
progress in plate manuf. (A), 515.
pyrex, physical constants (A), 429.
refraction data of (A), 428.
rupture and flow in (A), 513.
sands, *see* Sand.
shock-defying (A), 511.
silica, quartz,
articles (P), 696; (P), 869.
for mercury vapor lamps (A), 946.
physical properties (A), 868.
X-ray crystal structure of (A), 317.
sodium pentaborate in (P), 869; (P), 1009.
standardized fittings for (A), 511.
technology, British review of for 1919–20 (A), 73.
test for welding properties of (O), 219.
transmission data of (A), 428.
tubing, internal caliper for (A), 74.
Glassware, factory inspection of (A), 72.
immersion method of detecting cords in (P), 656.
machine for
glazing edges of (P), 253.
grinding (P), 254.
scientific, at Vineland, N. J. (A), 427
testing of (A), 72.
Glauconite, vapor pressure of (A), 246
Glazes,
clouded (P), 250; (P), 253; (P), 431.
crazing of (O), 25; (O), 30.
crystal, for stove tile (A), 693.
fitting to bodies (A), 781.
fusibility of (A), 26.
hardness of (O), 896.
and temp. of (O), 899.
lead, effect of furnace atmosphere on (A), 692.
luster, prepn. of (A), 781.
nickel oxide in (O), 357.
physical properties of (A), 76.

porcelain,
cones 7–9 (A), 78.
hardness of (O), 900.
highfire. Cone 10, 12, 14, 16 (O), 718.
preparation of (A), 788.
salt, red brown, on stoneware (A), 782.
sodium pentaborate in (P), 1009.
stannic oxide in (O), 29.
whiteware, compn. of (O), 993.
effect of CaO, Na_2O, feldspar, flint on crazing (O), 990.
hardness of (O), 899.
physical properties of (A), 247.
Glazing system (P), 870.
Graphical method for computing ceramic bodies (A), 307.
Graphite,
book, Canadian graphite, 1920, 432.
crucibles, American clays in (A), 686.
industry (A), 507.
foreign, 1919 (A), 500; (A), 686.
in Madagascar (A), 244; (A) 501; (A), 507.
in Siberia, 1920 (A), 312.
in South Australia (A), 424.
in 1919 (A), 165.
in 1920 (A), 501.
of Canada in 1919 (A), 507.
its origin (A), 684.
use of (A), 501.
Grinding,
apparatus for rock specimens (A), 310.
recent developments in (A), 683.
Grindle system of burning powdered coal (O), 416.
Grog, plastic clay for preventing spalling (O), 119.
Gypsum,
calcined,
fineness of and properties of (O), 301.
specifications (A), 519
survey of 1921 (A), 947.
crude, survey of 1921 of (A), 947
industry (A), 507.
book, Gypsum in 1919 in U S. A. 313.
definition of terms (A), 519.
in 1919 (A), 165.
methods of testing (A), 872.
molding of small articles (P), 255.
plasters,
color, specifications for (A), 785.
color of, by spectro-photometric grading (A), 947.
plastic (A), 872.
sanded,
consistency of (O), 152.
tensile strength and compn. of (O), 152.
specifications for (A), 519; (A) 871.
properties, definitions, uses of (A), 317.

H

Hardford-Fairmont feeder (O), 13.
Hardness,
of enamels (O), 896.
of glazes (O), 896.
measurement,
Brinell method (O), 896
prism method (A), 857.
and elastic properties (A), 1006.
Hasslacher, Jacob, necrology (O), 437.
Heat,
application of, in ceramics (O), 822.
conductivities of refractories (A), 1008.
convection, approximation of (A), 685.
efficiency, generator gas vs. pulverized coal firing (A), 313.
flow, in checker work of regenerative chambers (A), 691.
German Technical Consultation Office on (A), 429.
losses,
in chimneys (A), 313.
in elec. furnaces through electrodes (A), 688.
in metallurgical furnaces, fundamentals of (A), 1008.
recovery of, from flue gases (A), 687.
waste,
for drying (A), 240
utilization of (A), 691.
Heating *see* Firing.
Hipp, Wm. G., necrology (O), 699.
Humidity,
control by sulphuric acid sols. (A), 506.
drier at Northwestern Terra Cotta Co., Chicago (O), 798.
drying, theory of (O), 797.
effect on leather belting (A), 414.
system for drying terra cotta (O), 796.
Hydrolysis, of silicates of sodium (A), 311.

I

Inspection of glassware (A), 72.
Insulating,
materials, maximum temps. for (A), 425.
paint (P), 1003.
Insulators *see* Porcelain.
solid, thermal cond. and coeff. of elasticity (A), 422.
Iron,
in silicates, colorimetric detn. of (A), 942.
penetrated by hydrogen (A), 871.
thermo-couple protection tubes, coating for use in molten metals (A), 941.

K

Kaolin,
absorption of NaOH by (O), 468
book. Kaolins of Indiana, 313.

French, shrinkage on (A), 856.
Georgia, future study of (A), 780.
Indiana in 1920 (A), 423.
in Missouri in 1919 (A), 244.
survey of 1921 (A), 940.
thermal expansion (A), 1005.

Kaolinite, Japanese thermal curves of (O), 182.

Keller Mechanical Engraving Co., automatic bottle mold cutting (A), 515.

Kiln,
atmosphere maintenance in (A), 688.
brick wall for (P), 80.
cement (P), 432.
change of periodic into continuous. Citadel Brick and Paving Co., Quebec, Can. (A), 394.
lime,
flame (A), 873
heat losses in (A), 873.
rotary (A), 873.
wet coal in continuous (A), 875.
periodic muffle, producer gas in (O), 669.
setting and burning (P), 414.
shaft, book. Das Kalbrennen im Schachtofen mit Mischfeurung, 225.
tunnel car (P), 241; (P), 776.
for brick plant (O), 277.
combustion chamber for (P), 866.
continuous coal burning, at Mount Clemens Pottery Co. (O), 673.
cooling means for (P), 865; (P), 866.
Dressler (P), 420.
description of (O), 738.
Ohio Valley Clay Co., Steubenville, Ohio (O), 738.
testing of (O), 738.
interrupted firing (P), 1003.
Shepard (P), 420.
for tile plant (O), 277.

L

Lamp chimneys, compn. of glass (A), 428.
Lead poisoning, cause and control of (A), 867.
Leather belting, effect of humidity on (A), 414.
"Lectromelt," Moore rapid furnace (A), 418.
Leer,
glass annealing (P), 252.
elec. heated (O), 335; (A), 946.
muffled type (O), 17.
simplex installation, Federal Glass Co. (A), 515.

Leucite, vapor pressure (A), 246.
Leucoscope, as a pyrometer (A), 496.
Light filters, for artificial daylight (P), 946.
Lignite brick as fuel (A), 785.

Lime,
common, tensile strength of (A) 697
high magnesia, tensile strength of (A). 697.
hydrated, method of chem. anal. (A), 784.
hydraulic, tensile strength of (A), 697.
in glazes (O), 27.
industry,
in Algeria and Morocco (A), 1011.
in Egypt (A), 1012.
kilns *see* Kiln, Lime.
manuf. of (A), 80; (A), 698.
mason's hydrated, specifications for (A), 519.
methods of chem. anal. (A), 784.
mortars (A), 872.
sepn. from dolomite by (O), 558; (A), 1008.
elutriation (O), 566.
flotation (A), 564.
leaching and screening (O), 564.
treatment with sulphuric acid (O), 563.
slaking,
cylinder series for (P), 1013.
in vertical container (P), 318.
survey of, in 1921 (A), 946.
trouble in clay (A), 682.

Limestone, burning; falling particles through heated zone (P), 948.
method of chem. anal. of (A), 784.
Linbarger, Silas Carl, necrology (O), 791.
Lithium arsenite (A), 311.
Longwood Tessellated Tile Co. Ltd., Longwood, clays worked by (A), 422.
Lubricants, British research on (A), 309.
Lubrication,
books. American Lubricants, 309; The Practice of Lubrication, 310; Rep't. of the Lubricants and Lubrication Inquiry Committee Advisory Council, Dept. of Scientific and Industrial Research, 309.

M

Magnesia,
cements, plastic and physical properties of (O), 570.
in glazes (O), 28; (O), 30.
strength of, at high temps. (A), 69.
Magnesite,
chem. compn. calcined, from
Austria (O), 132.
Canada (O), 132.
Washington (O), 572.
dead burning of (O), 126.
industry (A), 507; (A), 773.
in 1919 (A), 165; (A), 686
in Canada in 1919 (A), 507.
in 1920 (A), 501.
in U. S. A in 1919 (A), 690.

lined converters, for high-grade material (A), 500.
mines, Washington, shut down of (A), 501.
porosity of, fluxes and calcining temps. (O), 150.
shrinkage of, fluxes and calcining temps. (O), 150.
stability of, fluxes, fine grinding and calcining temps. of (O), 136.
tariff question on (A), 500.
Magnesium oxide, crystal structure of (A), 780.
Manometer, reversible mercury (A), 496.
Meeting,
Columbus, February, 1921 (E), 259.
St. Louis, 1922 (E), 325; (E), 952.
The Summer, July, 1921 (E), 617.
Méker burners, furnaces (A), 500.
Metallography of
enameled oxy-acetylene welds (O), 546.
low carbon steel (O), 546.
Metals, pickling of, formaldehyde in acid solutions (A), 312.
Meurer molten enamel spraying process (A), 787; (A), 1015.
Mica,
industry (A), 507.
in 1919 (A), 165, 684.
in 1920 (A), 495.
in Australia (A), 506.
in Canada in 1919 (A), 507.
in Rhodesia (A), 424.
in refractories (A), 687.
Microscopy,
book. Das Mikroskop und seine anwendung. Handbuch der praktischen Mikroskopie und anleitung zu mikroskopischen untersuchung, 311.
with ultraviolet light (A), 414.
Mineral,
industries, non-metallic, of U. S. A. (A), 495.
production in Canada in 1919 (A), 507.
resources, books. Political and Commercial Geology and the World's Mineral Resources, 313. Les industries minerales non metallifères à Madagascar, 160.
Mining industry in North Carolina in 1913–17 (A), 164.
Mixing, survey of commercial methods (A), 857.
Mold,
for brick (P), 249.
for tile (P), 249.
industry, evolution of (A), 515.
Molding, process for, small articles (P), 255.
Monazite industry (A), 507.
for 1920 (A), 495.
Monongah Glass Co., new factory of (O), 3.
Moore rapid "Lectromelt" furnace (A), 418.
Mortars, *see* Cements.
Mount Clemens Pottery Co., coal burning continuous, tunnel kilns (O), 673.

N

Nickel oxide, in glazes (O), 357.
Northwestern Terra Cotta Co., Chicago, humidity drier at (O), 798.
producer gas in periodic muffle kilns (O), 669.

O

Oil,
as fuel in lime kilns (A), 873.
lubricating, recovery of (A), 1003.
Optical, pyrometry, *see* Pyrometry.
Orthoclase, vapor pressure of (A), 246.
Orton, Professor, tribute to (E), 793.
Oven,
core, overhead supporting (A), 499.
enameling, etc. vitreous (O), 271.
Ovens, *see* Furnaces, Kilns.
coke, silica brick for (A), 689.
elec. heated (A), 165.
for core-baking (A), 419.
Overhead expenses, their distribution (A), 682.
Oxy-acetylene steel welds (O), 549.

P

Paint
for iron at high temp. (A), 159.
silicate (A), 159.
spraying (A), 414.
talc in fire-resistance (A), 159.
Patent laws, book. Handbook of Patent Laws of All Countries, 310.
Penetrability, definition of (O), 920.
Penetratimeter, for fluids (O), 986.
Perchloric acid,
dehydrating agent for silica determination (A), 162.
method, for potassium in silicates (A), 422.
Permeability, definition of (O), 919.
Permutite (A), 494.
mixtures, electrolytic cond. of (A), 244.
Petroleum, for firing ceramic ware (A), 688.
Phase theory, book. The Principles of the Phase Theory, 165.
Phosgene,
breaking down thorianite by (A), 163.
distillation of zirconium chloride from zircon by (A), 163.
purifying bauxite, carborundum, glass-sand (A), 162.
purifying clays, sand, etc. (P), 696.
Phosphorescent sulphides (A), 516.
Phosphorus pentoxide, transformation of Quartz into tridymite by (A), 421.
Photometry,
for enamels (A), 317.

selenium cell applicable to (A), 428.
Physical,
properties, high temp. measurements (A), 166.
testing, book. Technical Methods of Analysis, 789.
Pickling, metals with acid solutions containing formaldehyde (A), 312.
Plaster,
colored wall (A), 431.
dispersoid and colloid, chem. of (A), 170.
gypsum, *see* Gypsum plaster.
molds for roofing tile (A), 693.
of Paris as putty (A), 171.
plant, description (A), 874.
Plastometer, development and application of (A), 779.
Polymerization of alumina (O), 191.
Porcelain,
chem. testing of (A), 77.
decoration of (A), 248.
effect of firing on translucency. Deformation and resistance (A), 425.
effect of rutile, thoria, zircon and zirconia on (O), 842.
elec., free silica vs. alumina and zirconia in (O), 195.
firing, with wood gas (A), 76.
general discussion (A), 781.
insulation, for high voltage (A), 248.
for high voltage transmission (A), 316.
surface creepage in (A), 248.
insulators (A), 246.
American (A), 247.
European, testing of (A), 247.
research in manuf. (A), 692.
surface leakage in (A), 247.
suspension type (A), 246; (A), 425.
testing of standard methods (A), 247.
mechanical properties of (A), 425; (A), 509.
money (A), 77.
pressed (A), 509.
sanitary ware, "blowers" in (A), 781.
sharp fine colors in (A), 247.
Swedish quartz in (A), 79.
Pore,
size, determination of, by steel pressure bomb method (A), 1003.
space, closed, definition of (O), 922.
Pores, types of (O), 919.
Porosity,
absorption material for determination of carbon tetrachloride (A), 68.
paraffine (O), 985.
petroleum products (O), 983.
vaseline (O), 986.
water (O), 961.
definition of, (O), 921.
determination of,
"boiling in air" method (O), 971; (O), 981.
"boiling in vacuo" method (O), 969.
engineering testing method (O), 917.
standard reference method (O), 917.
vacuum method (O), 978.
"dry weight" of clay body for (O), 977.
minimum soaking period for vacuum method (O), 979.
of fired china clay (A), 68.
sources of error, magnitude and significance (O), 974.
Potash, industry (A), 507.
in New Jersey greensands (A), 313.
Potassium,
arsenite (A), 311.
compounds, vapor pressure of (A), 246.
in silicates, perchloric acid method or (A), 422.
volatilization of, from feldspar, greensand, and glauconite (A), 519.
Pots, glass melting, *see* Glass pots.
Pottery,
chem. resisting (A), 425.
industry, in Swatow, China (A), 316.
in Japan (A), 316.
ware, figuring (P), 238.
Practical application, our present need (E), 175.
Precipitates, structures of (A), 506.
Proctor system, brick and tile drying (A), 518.
Prosiloxan, silicon compound corresponding to formaldehyde (A), 161.
Psychology in industry (A), 69.
Pumping, book. Pumping by Compressed Air, 311.
Pycnometer, flat-top for densities of minerals (A), 496.
Pyrometer, optical,
disappearing-filament type of (A), 160.
leucoscope as a (A), 496.
simple Lummer-Kurlbaum type (A), 1004.
Pyrometers, standardization of (A), 683.
Pyrometric practice for glass manuf., glass annealing, rotary Portland cement kilns, ceramic processes (A), 415.
Pyrometry,
British practice (A), 1004.
electrical (A), 942.
optical, comparison of mono-chromatic screens in (A), 857.
present state of (A), 1004.

Q

Quarry waste, plant for (A), 874.
Quartz *see* Silica.
action of carbonic acid on (A), 161.
filaments, internal friction at high temps. (A), 243.

fused, strength of, at high temps. (A), 70.
glass, *see* Glass, Silica.
identification of, in konimeter samples (A), 505.
production in Canada in 1919 (A), 507.
refraction data of (A), 428.
solubility of, in borax soln. (A), 858.
Swedish (A), 79.
replacement for German sandstone (A), 507.
transformation to tridymite by P_2O_5 (A), 421.
transition point of (A), 161.
transmission data of (A), 428.
vein, microscopic study of (A), 423.
Quartzites,
American and German, comparative study of (O), 953.
German, for silica brick (A), 944.
in New York state (A), 246.

R

Radium, luminous coatings (P), 517.
Rare earth in Madagascar (A), 507.
minerals, production of, in (A), 164.
Reflectometer, absolute measurement of reflection (A), 415.
Refraction data of glass, quartz, fluorite (A), 428.
Refractories,
abrasion tests (A), 239.
air cracks in (A), 686.
coke oven, testing of (O), 474.
elec. furnace (A), 70; (A), 71; (A), 418; (A), 944.
elec. resistivities of, at high temps. (A), 165.
experiments with (A), 685.
floor block for British kilns (P), 250.
German, industries of (A), 240.
heat conductivities of (A), 1008.
in metallurgical industry (A), 70; (A), 71.
for oil-fired, boilers (O), 390.
furnaces (O), 390.
research possibilities in (A), 314.
silica,
small quantities of phosphoric, tungstic, molybdic, boric acids in, as fluxes, (P) 945.
strength of, at high temps. (A,) 69.
spalling losses (A), 239.
Refractory,
articles,
zircon in (P), 865.
zirconia and
chromide in (P), 242.
sillimanite in (P), 242.
brick,
cement for (A), 686.
coating: carborundum and sodium silicate (A), 943.
under load, at high temps. (A), 417.
materials,
dolomite (A), 685.
of Great Britain, book. Special Reports of the Mineral Resources of Great Britain, Vol. XVI. Refractory Materials, etc., Petrography and Chemistry, 167.
ganister (A), 685.
mica in (A), 687.
porous (P), 241.
sand for open hearth furnaces (A), 685.
silica rock (A), 685.
slag and magnesite mixtures (P), 865.
slagging action tests of (A), 690.
vegetable binder for (P), 775.
zirconia and
alumina in (P), 242.
silicon carbide as (P), 691.
molding, by pressure, in vacuum (P), 865.
slabs, under load conditions (O), 759.
Research,
and Protective Tariff (E), 701.
in ceramic decorative processes (E), 326.
materials, prepared by glass division for distribution (E), 951.
Retorts, gas works, heating of (A), 240.
Rock anal., crucibles of Pt-Ir, Pd-Au for fusion, in (A), 421.
Ruggles-Coles drier (A), 856.

S

Saggar,
clay prepn. (O), 458.
situation, National review of (O), 393.
Saggars, carborundum,
formation of iron carbonyl in (O), 923.
free carbon in (O), 926.
iron in (O), 923.
whiteware discoloration from (O), 923.
Sand,
foundry,
bond absorption test for (A), 863.
classification of (A), 862.
clay substance in (A), 863.
judging of (A), 943.
glass,
bleaching by phosgene (A), 162.
in Celon (A), 695.
in Kentucky, 1920 (A), 423.
in Missouri (A), 245.
in New York state (A), 245.
in North Carolina (A), 164.
in Pennsylvania, 1919 (A), 250.
steel industry,

petrography of, for open hearth (A), 685.
testing of (A), 500.
Sandstone, in New York state (A), 245.
Scaling, prevention of, in clay pipes (A), 683.
Scientific information, distribution of, in U. S. A. (A), 682.
Scleroscope for testing hardness or strain in glass (P), 783.
Secretariat, new (E), 529.
Secretary,
general need of (E), 259.
plans of the new (E), 531.
Secretaryship, permanent (E), 439.
Selenium,
cell, applic. to practical photometry (A), 428.
decoloration of glass by (A), 428.
ruby glass (A), 428.
Shale, spent oil, for brick and cement (A), 518.
Shales, in Virginia, west of Blue Ridge (A), 424.
Shaping, device for ceramic bonded material (P), 856.
Sharp, Chester L., necrology, 879.
Silica, *see* Quartz.
amorphous, transition point of (A), 161.
brick, *see* Brick, silica.
chem. action of water on (A), 683.
dehydrating
by perchloric acid (A), 162.
use of indicator in (A), 162.
gel, adsorption by (A), 505.
effect of pressure on (A), 683.
gelatinous, X-ray crystal structure of (A), 317.
globular, French, petrographic study of (A), 1007.
materials in New York state (A), 245.
refractories, *see* Refractories, silica.
rocks, petrography of (A), 685.
-washing apparatus (P), 497.
Silicate paints (A), 159.
Silicates,
action of carbonic acid on (A), 161.
alkali, mixing and dissolving of (P), 317.
constitution of (A), 160.
decomposition of, without fusion (A), 502.
sodium, hydrolysis of (A), 311.
soluble, combining with hydroxy acids, for cleansing purposes (P), 941.
Silicic acid, colloidal, use of in dental cements (P), 1013.
formation of, by water on fine ground silica (A), 683.
new modification of (A), 242.
Silicon hydrides, reactions with alkali metal (A), 1004.
Sil-o-Cel, insulation for furnaces (A), 687.
Silvering of glass (A), 427.
Sintering process, study of (A), 778.
Slag,
acid open hearth, detn. of FeO, Fe_2O_3 in (A), 502.
cements (P), 318.
Slimes, centrifuging of (A), 683.
Soapstone industry, (A), 507.
of 1919 (A), 165.
in 1919 in U. S. A. (A), 685.
in 1920 (A), 495.
Soils,
colloidal material in (A), 776.
flocculation of (A), 1005.
Solidification,
and conduction of heat (A), 1006.
general principles of (A), 1006.
temperature changes during (A), 1006.
Solidity, mechanics of (A), 422.
Solution, high density, lead perchlorate (A), 497.
Southard viscosimeter, for testing sanded gypsum plaster (O), 152.
Spalling,
definition of (O), 32.
prevention of, use of plastic clay grog for (O), 119.
relation to vitrification (O), 41.
tests, on firebrick (O), 32.
of ganister clay and plastic clay mixt. (O), 206.
Spark plugs, manuf. of (A), 168.
Standards, book. American Society of Testing Materials, Standards, 1921. 1014.
Steel,
deformation of, at high temps. (A), 1006.
enameled, industry of (A), 169.
low carbon, metallography of (O), 546.
oxy-acetylene, metallography of (O), 549.
Stone,
age, book. The New Stone Age, 520.
artificial, compn. of (P), 867; (P), 877.
Stoneware,
bodies, effect of firing temps. on porosity, shrinkage, strength of (O), 366.
chem. (A), 167.
erection and care of apparatus of (A), 781.
Straw paper sheets, for kiln openings (A), 788.
Strontium Industry (A), 507.
Swedish literature, geological, paleontological, petrographic, and mineralogical (A), 163.
"Syndolag" (A), 71.
Syntheses, industrial, book. Synthèses et catalyse industrielles, 309.
System, $CuO–Cu_2O–O_2$ (A), 311.
$Na_2O–Al_2O_3–H_2O$ (A), 311.

T

Tables, Annual, of constants and numerical data (E), 262.
Talc,
for gas burners (A), 245; (A), 419.
grinding capacity of, in U. S. A. (A), 684.
industry in (A), 507.
1919 (A), 165.
1920 (A), 495.
Canada in 1919 (A), 507.
North Carolina (A), 164.
South Africa (A), 163.
U. S. A. in 1919 (A), 685.
U. S. A. in 1920 (A), 495.
Technology,
and art (O), 263.
government, and engineering profession (A), 309.
Terra cotta,
architectural, manuf. of (A), 789.
body, ageing of (O), 452.
casting (O), 883.
clays,
casting of (O), 885.
in Ohio (O), 732.
clear glaze for (O), 737.
crazing and glaze compositions (O), 25.
drying, humidity system (O), 796.
engobe for (O), 737.
industry for Ohio (O), 731.
vitreous slip for (O), 737.
Testing materials, American Society of, book. Standards, 1921, 1014.
Thermal,
anal. by differential dilatometric method (A), 161.
anal., sensitive differential method (A), 239.
cond. and coeff. of elasticity of solid insulators (A), 422.
curves for Japanese kaolinite (O), 182.
microscope, Leitz, for high temp. study (A), 778.
Thermo-couples,
base metal,
calibration of, by freezing-point method (A), 779.
covered iron protection tubes for (A), 779.
for high temps. (A), 1004.
construction of, by electro deposition (A), 160.
Thermometer, distance reading (A), 497.
Thorianite, breaking down of, by phosgene (A), 163.
Thorium, production of (A), 164.
Tile,
hollow (P), 427.
building (P), 249.
mold for (P), 249.
plant, layout, for car tunnel kiln (O), 277.
roofing, plaster molds for (A), 693.
-sorting machine (P), 427.
stove, crystal glazes for (A), 693.
supporting of, during heat treatment (P), 427.
Tin oxide in glazes (O), 29.
Titanium, industries in 1919 (A), 165.
Tridymite, transition points of (A), 161.
Triode valve, application of (A), 512.
Tripoli, in Missouri in 1919 (A), 245.
Tuberculosis, industrial (A), 772.
Tunnel kiln, *see* Kiln, Tunnel Car.

U

Ultra,
-clay (A), 776.
microscopy, degree of dispersion of (A), 780.
Ultramarine colors (P), 508.

V

Vacua, high, methods of producing and measuring (A), 310.
Vapor pressures of,
glauconite (A), 246.
leucite (A), 246.
orthoclase (A), 246.
potassium compounds (A), 246.
sulphuric acid solutions (A), 506.
Vesicular materials, from clays, shales (P), 495.
Viscosimeter, Southard for sanded, gypsum plaster (O), 152.
Viscosity,
and flocculation of coarse suspensions (A), 858.
-concentration function, of polydispersed systems (A), 505.
Vitrification and spalling (O), 41.
Volumeter,
Goldbeck (O), 290.
Hubbard and Jackson (O), 290.
mercury (O), 288.
Schurecht, overflow type of (O), 290.
Schurecht pycnometer (O), 289.
Seger (O), 289.
Shaw direct reading (O), 290.
Spurrier (O), 291.
Staley apparatus (O), 291.

W

Water smoking (A), 682.
of clays (O), 375.
Whiteware,
bodies,
cobalt stain on (O), 451.
compns. of (O), 991.

discoloration from carborundum saggars (O), 923.
glazes (A), 76.
Whiting in glazes (O), 27.

Z

Zinc,
oxide in glazes (O), 28.
production by aluminq thermic method (P), 502.
Zircon,
breaking down of, by phosgene (A), 163.
in Madagascar (A), 244.
strength of, at high temps. (A), 69.
Zirconia,
cements, effect of calcined zirconia in (O), 662.
in elec. porcelain (O), 195.
strength of, at high temps. (A), 69.
Zirconium,
industry,
in 1919 (A), 164; (A), 165.
in 1920 (A), 501.
salts (P), 502.